

November 9, 1929

A McGraw-Hill Publication

20 Cents per Copy

AVIATION

The Oldest American Aeronautical Magazine



HOW THE *Air Tour* WAS WON

By John H. Livingston

THE *Fokker F32* TRANSPORT MONOPLANE

MAKING *Airports* PAY THEIR WAY



There is one part of an aircraft engine upon which the whole industry agrees. That is the Bohn Ring True Bearing. 95% of all the bearings used for airplane engines are the Bohn Ring True product.

Pilot and designers know that this product is built by specialists who know how to produce raw materials—understand the scientific handling of the various heats, and have a precise knowledge of alloys.

The Bohn Ring True Bearing is a safe bearing. Daily it is protecting the lives of thousands of flyers.



RING TRUE
BOHN
BEARINGS

Bohn Division
BOHN ALUMINUM & BRASS CORP., DETROIT, MICH.
New York Chicago Philadelphia Cleveland Pittsburgh

BUILT UNDER ONE ROOF

ARGO
DEPARTMENT
OF COMMERCE
CERTIFICATE
NUMBER 95

HESS-WARRIOR
DEPARTMENT
OF COMMERCE
CERTIFICATE
NUMBER 24

ALLIANCE AIRCRAFT CORPORATION
MANUFACTURING AIRPLANES—AIRPLANE ENGINES
Alliance One



W^m B. STOUT

Uses the

HEYWOOD STARTER

Wm. B. Stout, the aeronautical engineer of international reputation, has equipped his personal ship with a Heywood Starter.

Also the Stout Air Lines are using this advanced product. It stands to reason that such authorities select their equipment with exact knowledge. They know the facts.

You too should get the facts regarding the compact, efficient Heywood Starter.

Single in operation—adaptable to all standard engines—dependable—always start instantaneously—light in weight.

Write today for complete information.

SKY SPECIALTIES CORPORATION, DETROIT
3631 Hart Avenue



START~ER
by
HEYWOOD

HEYWOOD

STARTERS



BALANCED PERFECTION

The Crankshaft of the Axelson Engine is inherently a stabilizer. It is composed of two sections joined together by a male and female taper, which is hand-lapped to fit and secured by a dovetail key. The Crankshaft is ground and finished to a perfect balance. It permits use of a solid one-piece crank speed to which the connecting rods are pivoted. Bearings are simply proportioned, the thrust being absorbed by a large, deep race ball bearing.

All bearings are lubricated by a positive circulating system. The Crankshaft sections are forged from special nickel alloy steel, machined and ground to close tolerance.

Coming now ready.

Axelson Aircraft Engine Co.

Factory and General Offices
Corner Randolph St. and Boyle Ave., Los Angeles, California
(P. O. Box 577)



AXELSON AIRPLANE ENGINES



RECOGNITION

RYAN
WACO
EMSCO
LAIRD
MARTIN
FOKKER
BREESE
FERNIC
LUBLIN
LOENING
SPARTAN
GENERAL
SWALLOW
STEARMAN
HAMILTON
PITCAIRN
FLAMINGO
BELLANCA
SIKORSKY
TRAVEL AIR
GREAT LAKES
BERLINER-JOYCE
CUNNINGHAM-HALL

NO more convincing recognition could be accorded Aerol Landing Struts than their use by such manufacturers as these. It gives the oleopneumatic principle of absorbing landing shock definite supremacy.

The fact that 23 manufacturers have standardized (and that practically all others offer Aerol Struts as optional equipment) makes it possible for the entire operating end of the aircraft industry to enjoy a degree of landing comfort, safety and economy that is not afforded by any other type of landing gear.

Aerol Struts are manufactured at Cleveland by the Cleveland Pneumatic Tool Company.

Ask the Pilots Who Land On Them

AEROL STRUT
shock absorbing

TUNE IN AND HEAR THE ROMANCE



OF AVIATION
WEDNESDAY, NOV. 13

Westinghouse guides you to tune in... 7:30 p.m., Eastern Standard time, for the "Westinghouse Salute" to Aviation, second in a series of radio programs of a new type... an orchestra of 50 players... a magnificent chorus of 10 voices... full cast of actors from the legitimate stage... through stations KDKA, WRX, WREX, KYW, and a coast-to-coast network of National Broadcasting Company stations with supplementary networks.



The Radio Side of a "Westinghouse Salute"

Westinghouse 
SALUTES THE AVIATION INDUSTRY



In every
vocabulary
of the air
“



this word
“**CORSAIR**”
conveys a wealth of meaning
“

FOR every word that finds its way into the specialized vocabulary of the air you'll find good reason. "Corsair," for example.

To everyone who flies or has flown military and naval ships "Corsair" means a ship with per-

formance that quickly ripens admiration for the plane into genuine affection.

All round performance... speed, ease of handling; rapid climb and the ability to get into and out of small fields with heavy loads... that's the "Corsair."


CHANCE VUGHT CORPORATION

DIVISION OF UNITED AIRCRAFT & TRANSPORT CORPORATION

Long Island City, New York

DO IT BY OXWELDING

At every phase of oxyacetylene welding and cutting, the thoroughly experienced engineering and service organizations of these companies can help you in the proper application of oxwelding to your present work and to new production activities.



Fulfilling every need for **Oxwelding and Cutting**.....

LINDE OXYGEN
The Linde Air Products Company

Press O'Life

Disolved Acetylene
The Press-O-Life Company, Inc.

Oxweld

Apparatus and Supplies
Oxweld Acetylene Company

UNION CARBIDE

Union Carbide Sales Company

Units of
UNION CARBIDE AND CARBON CORPORATION

General offices
100 East 42nd Street
New York, N. Y.

Sales offices in
Principal cities
throughout the country

60 Linde phone—67 Press-O-Life phone—174 Oxygen Workman stock—134 Acetylene Workman stock—50 Apparatus Workman stock—254 Carbide Workman stock



The Old Mormon Trail

Salt Lake City to Los Angeles!

Country reminiscent of pioneer days... crisscrossing covered wagons... pony express... telegraph lines... Hays and Furber Indians, their moccasins and ponies... the wonderful, rugged, ancient West.

Mountain peaks... rustic villages... forests... prairies... deserts and streams... which once tried hardy pioneers in their journey of hardships... one now a space to eye-weary eyes, during the trip's few hours of pleasant relaxation.

Great Fokker airlines, soaring securely the Western Air Express route, span that same distance too quickly as the land for the sturdy Purdies called California, with its rugged great back roads... the Pacific.

To the skilled hands of Western Air Express pilots, the speed, comfort, and dependability necessary for our work is assured. The Fokker way of air travel saves days of valuable time... for business men and vacationers.

Fokker expert mechanics on board are giving the same screwing satisfaction on other commercial systems: Universal Aviation Corporation, Southern Air Transport, Pan-American Airways, Island Air Line, National Parks Airways, Dominion Airways, Western Canada Airways.

Whether in air travel, send a *Travel Stamp for Joy* or mail *Travelers*, and you will find you are *Wanted*! "When the Traveler Pays" Address the *Fokker Travel Bureau*, 23rd Street, 23rd Madison Ave., New York City, Room 2100.

FOKKER AIRCRAFT CORPORATION OF AMERICA

JACKSON WHEELING, WEST VIRGINIA, and TETERBROOK AIRPORT, HAWKWOOD HEIGHTS, NEW JERSEY

Address inquiries: NEW YORK OFFICE, 1735 BROADWAY



"Speaking of Records for Endurance"

"WELL, sir, when it comes right down to long, hard 2 p.m.s, you've got to doff the helmet to the good old U. S. Drills. In manufacturing planes and motors—or in servicing 'em—we've got to have drills that stand up. And U. S. Drills have had this reputation ever since the first electric drill in the world was brought out by U. S. over thirty years ago. They're the good mechanic's choice every time."



Original Division of
General Electric and General
Electric Co.



Ask Your Jobber
or Write Us

U.S. 1/2" Special Drill
All 1/2" and 1/4" Lead Speed
\$44

THE UNITED STATES ELECTRICAL TOOL COMPANY

2666 West Sixth Street, CINCINNATI, OHIO, U. S. A.

Atlanta, Boston, Chicago, Cleveland, Dallas, Denver, Detroit, Kansas City, Minneapolis, New York, Philadelphia, Portland, St. Louis, St. Paul, San Francisco, Seattle, Toronto.
Export Sales Representatives: NIELSEN ELECTRIC INTERNATIONAL, Copenhagen, Denmark, New York City
Canadian Division: M. J. LEAF ELECTRIC TOOLS, Ltd., Toronto



Wire or Write!

GREAT LAKES AIRCRAFT CORPORATION has developed a proven Operating-Sales Plan that now makes it possible for any capable individual or group to make money—*real money*—in the airplane business.

This unique plan is built around—

1. A line of ships of exceptional merit—approved by the Government—designed for the utmost in safety and efficiency—smart and saleable—up-to-the-minute in equipment—economical in operation—priced on a quantity-production basis.
2. A practical and effective plan of merchandising that insures profits both to distributor and dealer from the start—and also develops a lasting source of non-competitive business.
3. Constant and active co-operation of a highly capable sales promotion organization whose motto is: "Sell ships by helping the distributor and dealer sell."
4. Distributors and dealers who are business men with selling ability, energy and reasonable working capital.

If you are earnestly seeking an opportunity to make money and establish yourself permanently in the airplane business, wire or write us today, outlining your sales or business experience and present connections.

There is still some valuable territory available for the right type of men

Address: GREAT LAKES AIRCRAFT CORP.
Sales Department: 230 Park Avenue, New York City

GREAT LAKES AIRCRAFT CORPORATION CLEVELAND



Contractors to the United States Army and Navy



Type DCE24
Landing Field Floodlight

SAFE LANDINGS AT NIGHT

In order to put night flying on a profitable basis, it is absolutely necessary to provide adequate night lighting facilities. The landing field must be illuminated to a high enough intensity so that the pilot may land his plane with perfect ease and safety.

Type DCE24 is an ideal floodlight for lighting landing fields. This unit is particularly adapted for lighting large fields and fields of uneven contour and irregular shape.

Everything in lighting equipment for Airports and Airways



ALSO KNOWN AS

LOW VOLTAGE LIGHTING
EQUIPMENT - AIRCRAFT
EQUIPMENT - AIRCRAFT

CONCRETE - CONCRETE

C-475

CROUSE-HINDS

SYRACUSE, N. Y. U. S. A.

PROOF AND REPAIRS

FLOODLIGHTS

STANDARD AND CABINETS

SWITCHES



ALSO KNOWN AS

LOW VOLTAGE LIGHTING
EQUIPMENT - AIRCRAFT
EQUIPMENT - AIRCRAFT

CONCRETE - CONCRETE

FLOODLIGHTS

STANDARD AND CABINETS

SWITCHES



LOCKHEED-VEGA

THE WORLD'S FASTEST COMMERCIAL AIRPLANE!

It is a significant fact that the majority of Lockheed airplanes in service are used for transport purposes. Commercial airline owners know that Lockheeds operate at the lowest cost per passenger mile—and provide the greatest service to passengers in time saved.

The Lockheed-Vega will be on display at the Western Aircraft Show, Los Angeles, Nov. 26 to 28th.



LOCKHEED AIRCRAFT CORPORATION . . . Los Angeles, California

DETROIT AIRCRAFT CORPORATION . . . Union Trust Building, Detroit



BROCK AERIAL SURVEYS offer the advantages of pioneer leadership

The most accurate photographs, mosaics, plan and contour maps

The use of basic patent rights on aerial cameras, photographic mapping, many related devices and methods

The service of an experienced engineering and air survey organization

Fast in the Field Far in the Lead

Brock & Weymouth
INCORPORATED
1009 Walnut St., Philadelphia



Specialization . . .



Precision Cylinder
Master

Well organized manufacturing cells for specialized knowledge in the production of parts of the piston manufactured.

The casting of the airplane motor cylinder is a highly specialized undertaking not only in casting methods but also in metallurgical research.

Cheney Cast Cylinders are made of properly alloyed nickel-iron having



Cheney Cast Cylinder
barrel used in the Precision
Cylinder

ing a finer grain, a uniform and improved hardness, free from outside hard spots. We can furnish castings in the rough, or machined cylinders ready for assembly, direct from your blue prints.

Our twenty-five years' experience in the making of air-cooled cylinders is available to any responsible motor manufacturer.



CHENEY ~ CAST ~ CYLINDERS
High Strength ~ Low Cost

AVIATION

THE OLDEST AMERICAN AERONAUTICAL MAGAZINE

A MONTHLY-CLASS PUBLICATION • ESTABLISHED 1912

EDWARD P. WARNER, Editor

Volume 17 . . . November 9, 1929 . . . Number 10



An Anxious Look at a Closed Door

AL L IS QUIET along the Potomac. The air mail operators are meeting in secluded conference with the Postmaster General and his representatives, and no authentic version of their deliberation issues forth. The aeronautical community waits anxiously upon the results which such depends. The future course of development of air transport will be governed largely by the decision now being reached in the Post Office Department.

Some definite announcement may have been made before this editorial reaches our readers, and when it comes it may make any expression of sentiment now looks quite ridiculous. In the meantime, however, we cannot help being somewhat disturbed at the very length of the negotiations, at the seeming difficulty of reaching an understanding upon the fundamental method of compensation. Although it is important that rates should be fair and that all the operators should be adequately paid for their work we will be even more vital in the long run that a sound basic principle shall be adopted.

We have lately expressed our own views on a previous occasion. A growing anxiety leads us now to reiterate upon them. We are fully convinced of the extreme wisdom of any system of payment which penalizes efficiency either in operation or in traffic submission. We are convinced of the inadvisability of any plan whereby payment, or of any one which involves governmental supervision of the contractor's accounts or makes payment dependent upon the magnitude of his profits or losses. The payment made to an air mail contractor on a domestic route should depend on only one thing—the service rendered.

If an air mail contract does not prove profitable to the carrier at a reasonable rate per pound carried per mile, it is either because the operations are inefficient or uncommercially conducted, or because not enough mail is being secured. In the latter event, use of rates of three cents

must be at work. Either the work of traffic solicitation and development is being badly done, or it has not had time to become effective upon a new route, or the traffic weight is not there to be developed. In the first case the operating company which has fallen down on the job of selling its service is entitled to no sympathy. If it falls down badly enough and persistently enough, it should make way for someone who will be more successful in attracting public attention and support. In the second instance patience, courage, and hard work are needed. The service which pays in the first months of operation is a distinguished exception to the general rule. Fortunately mergers and new issues of capital have put the operating companies in a position to carry over the development period into the profit-making stage. There remains the third possibility. If the traffic does not come, the lines should not exist either. The service should be given up, and the effort expended elsewhere where it is more badly needed by the populace.

There has been no evidence of an intention on the part of the administration arbitrarily to cut rates until the air mail deficit is recognized, and we are unwilling to believe that any such action is contemplated. The air mail is certainly on the way to a completely self-sustaining status, but to expect it to cover the whole distance at a single bound at the first readjustment of rates would be unjust and absurd. It will be in the interest of progress toward complete self-support if the companies which have been pioneers in traffic development and in improving operating efficiency are allowed to make proportionately larger returns. The compensation of the carrier should depend primarily upon the amount of mail carried, and only in a very secondary degree upon the distance flown. The operator who carries his hundred pounds of mail on each trip over a three-hundred-mile route may not be entitled to five times as much payment monthly as one who handles only one hundred pounds on

seek men over the same distance, but compensation should vary nearly enough in ratio to secure the best Officer Department against heavy losses on the support of men for which there is no public demand and to furnish a spur for the contractor to cut out work with real vigor for traffic increase.

//

Goes Up,—Goes Down

A DEEP unconscious roar, audible outside the building and a block away, seemed to shake the earth. Thrillers, huggers and hoarse, leapt to a foaming clatter in the quest for the situation of a bidder. The hoars had the balls down and were tearing at the throats. And the aircraft securities took an unswerving parallel along with the rest.

To those who have been among the losers it brings a daily caution to reflect that the debacle might have been foreseen. It would be inausurably cruel to dwell upon past history at the moment, were it not that a proper appraisal of the present situation may help in estimating the future of the aircraft industry and in assuaging the alarm that grew out of a panic so far, at least, purely financial.

Aviation, like most other industries, has had both excessive optimism and excessive pessimism among those participating in or following its development. Sometimes the enthusiasms and the alarms appear simultaneously, and merely succinate each other. In the aeronautical world they have come upon us not together, but successively. They have been, in fact the same individuals in successive phases.

Six months ago no hearing of the aeronautical project was too remote for the general public to accept it and enlarge upon it. Production was to be finished this year, fifty thousand units, and the figures for 1931 would record all benefits of imagination. Naturally desires of showing is a future to glorify they conceived frantically for the privilege of acquiring stock certificates representative of a part ownership in the aircraft industry. Presents that appeared with a voracious eagerness, while many of them who were serious of the industry and in a position to know its actual financial status gaped in frank amazement.

The space of three months turned the tide, and produced a reaction, and a willingness to accept all sorts of rumors of impending disaster, even showed that the speculative careers of the spring had been. The whopper of collapse, of \$1000 about to abandon the aircraft business, of untold prices in sufficient quantities to meet the demand for months to come, and of air lines about to go into bankruptcy has run up and down the land, and it is hardly necessary to say that there has been a mixture of pure imagination and grotesque exaggeration.

Unhappily, this wave of pessimism nearly coincided with a general stock-market collapse, and magnified its effect upon the aeronautical securities. Four months ago the prices of aircraft and air-line stocks in general were too high. They discounted amounts of business beyond any that could be reasonably hoped for far years to come. It was equally clear that last Tuesday the figures were preposterously low, not only making no allowance for the future but not even adequately representing present earnings. The aircraft industry is sound, and among its securities there are to be found admirable investments at the present level. It is to be hoped that they will be absorbed by investors who have taken the trouble to acquire some knowledge of the facts of the industry's position, and that we shall be spared a repetition of a speculative boom, with its desire of wild and largely unintelligent buying and its inevitable subsequent appalling crash. The progress of aviation will fare better with out any such dizzy oscillations.

//

Mr. Hill Breaks Out in a New Place

SEPARATOR BINGHAM of Connecticut needs no defense to the aeronautical world. His services as American aviator are too well remembered, and are warmly appreciated, for anything of that sort. If we had to make any with those who have some recollection of aeronautical history, and some knowledge of the course that aeronautical development has followed, we should be content to ignore Mr. Thomas L. Hill's amazing outburst of last week. We should be satisfied that public opinion would assign to his "dilemma" against Senator Bingham a value of absolute zero. Unfortunately some part of the general public, which has never known the facts or has forgotten them, may be led by the very violence of Mr. Hill's language to accept his statements at their seeming true value.

While Bingham, drawing upon his own experience as a pilot and as a student of aviation, was working in behalf of the Air Commerce Act which he introduced in Congress and shepherd to its passage—while he was laboring unceasingly in support of military and naval aviation and to secure an integral bill of the two-year program—while he was pleading the cause of American aviation and the American aircraft industry, and defending them against stupid and malignant attacks aimed inspired by self-interest behind the scenes—Mr. Hill was engaged in endeavoring to persuade a fitful and wavering scheme of industry, which has never had any other chance of acceptance by Congress than water has of flowing contrary to the action of gravity.

It needs no extended recitation of aeronautical history to realize that Mr. Hill is playing an old tune. He has not even changed the key. The charge of suicidal

policy, inefficiency of pilots sent to their death in worthless airplanes, has been heard often before. It has been the subject of some nine-and-sixty investigations, none of which has substantiated these wild denunciations. It was a good time once, and an indefinite knowledge of the subject induced open-mouthed to its spectacular effects, but the times are not of panic for its repetition. The public ear has been educated to distinguish true from false heroism, and the denunciations in Mr. Hill's speech say are only too apparent.

It is futile to talk of the inferiority of American aeronautical development in the face of the ability of every reader to make his own comparisons between the recent rate of progress here and that in other countries. It is absurd to try to get anyone to believe in suicidally while every newspaper and everyone reader can see for himself that forty-and-a-half companies are advertising against each other for the public patronage, and while unchallengeable figures show that consistently less than a third of the aggregate business is being done by any one group. It is ridiculous to seek to promote the theory that the Aeronautical Chamber of Commerce is the malign origin of a sinister "trust" while its dues remain open without formality to every actual manufacturer. Where loyalty and shrewdness lose to large it is difficult to make serious analysis and apply, despite the presentation of an aggregation of "industrial" upon the manufacture of which a large portion of the alphabet is made up.

Mr. Hill's press release goes on: "He alleges fraud and corruption in government purchasing. We currently hope that he will have to make some prima facie case on based on more allegation before the Senate of the United States will decide to expend its own time and the energies of the War and Navy Departments upon another investigation going straight over ground so often worked."

"Without going to whether or not individual delinquents or outright might be dug up here and there, such cases are beyond dispute. It is beyond dispute that the safety record of the United States Army and Navy service is at present superior to that of any other air force in the world, so far as can be judged from published figures, and that it has been improving at an astonishing rate during the last three or four years. So much for the charges of "inferior and dangerous aircraft." It is beyond dispute that there has been a virtually complete turnover of flying equipment within the last three years, and that the number of modern and air-worthy airplanes possessed by the Navy, for example, has increased from 350 to about 900 within that time.

We may have devoted too much space to Mr. Hill's outburst. It might be better to allow it to pass in silence, but when the evidence of known facts is being distorted, it is well to call them to mind from time to time. Having done that, we are content to leave all such attacks upon the development of American aviation, and upon the men who are devoting themselves to it, at the mercy of the second common sense of the American people.

Regional Councils and the Airplane Industry

INDUSTRY ultimately finds its own level. It ultimately withdraws from bad locations and establishes itself in those most advantageous, but if left to the pure workings of natural causes the process may be a slow one. Chambers of Commerce, and councils and committees representing a whole state or a group of states, try to "help nature along a little bit."

They often grow dissatisfied. From the red-blooded courts beyond Cape Cod to the sun-baked mesas, the dry grass up to the steel wire for the manufacture of airplanes and their parts has been found. Every community seems to yearn for an airplane factory. Perhaps bewildered by so many conflicting claims, the industry hesitates as scattered as ever. It is a third of the states of the Union have airplane factories, and important ones.

Such diversity can hardly endure. A far greater degree of concentration is urgently called for, and will in time manifest itself. Adjustments are delayed by the natural desire of company executives to establish themselves in the region that they know is here, and also by the difficulty of making comparisons sufficiently enough to be convincing upon the superiority of one site over another. Local and regional commercial bodies can greatly assist in the process of geographical stabilization, upon three conditions. The information that they give must be complete and accurate, and it must not be over-sanguine.

The first two stipulations will probably be accepted as reasonable. The last may seem to require so much restraint upon the exuberance and pride in their work of Chambers of Commerce secretaries that it is urged as much in the interest of the localities affected as in that of the airplane industry itself.

In seeking new industries for a region it is a common error to leave the net broadest. No community should be proud of securing an industry which cannot flourish there, and which will ultimately become a drag on its neighbors and a source of periodic unemployment and distress. There are some parts of the airplane industry that are specially adapted by labor supply, climate, transportation conditions, and otherwise for the manufacture of airplanes. There are others where airplanes exist almost probably be made, but airplane engines can. There are still others that can best devote their energies to weaving histories manufacturing small parts or instruments. There has been too much of a tendency to treat the aircraft industry as a sack. Sound organization will be favored, and local heartiness will be needed, if those interested in promoting the industrial desires of a region will analyze carefully just where they best fit into the manufacturing picture to manufacturers, and then make their plan accordingly. There have been a few examples of excellent research work of that sort. They should serve as a pattern for less conservative or less far-sighted "boosters" elsewhere.

HOW THE

**John H. Livingston
Employed**

1929 Air Tour WAS NWO

**Describes His Preparations and the Flying Methods He
is Running Up His Winning Score of 45,672.64**

the pilot may use his own judgment as to the advisability of attempting a take-off.

There is talk of further modifying the formula next year, particularly in reference to the slip and tow-out factors. I believe that the formula should be revised to its original form, as at least referred to it in, although I would prefer to see the same weight given to the landing and take-off times as formerly, until we have airplanes in which landing fields are spaced not more than five miles apart. For that reason, I maintain that the formula should not be altered more.

In its original form, and even in its present state, the winning planes must be able to land and take-off in a fairly short space; they must possess good climbing ability; they must have a certain amount of speed and must be able to carry a load. In a word, the formula provides that the winners must show certain characteristics that every plane entered in a winning tour should possess.

SOME persons will argue that my belief is selfish. They will say that I am advocating the retention of the formula because it is advantageous to Waco planes, which my company distributes in Illinois and Iowa. But that does not enter into it. If the formula is changed materially before the next National Air Tour, it is not unlikely that I will fly a plane other than a Waco, one that I hope will win the contest, whether or not I consider it as good as all around airplane.

However, the discussion of the Tour formula is really beside the point. It was finally decided, in spite of the modifications made in the formula this year, that I would fly the 225 straight wing model. My plane and the one flown by Arthur J. Davis were completed Monday, Sept. 30. I flew mine for the first time Tuesday afternoon at the factory flying field, and the next morning took off for Ford Airport at Dearborn, Mich., arriving there at 8:30 a.m., just 10 minutes before the deadline. It took 1 hr. and 40 min. to make the hop.

The plane was a stock model in all respects, except for the addition of a Pioneer ram and bank indicator and an aneroid compass, which is of British manufacture and is trusted in this country by the Pioneer organization. It was my suggestion that these two flying instruments be added, and, incidentally, it was the only suggestion I made to the Waco company.

The reason for wanting a ram and bank indicator are fairly understood, but I might offer some explanation in regard to the compass. It is of the magnetic variety, but it has numerous advantages over the ordinary type. Chief among them is the fact that the pointer indicates the course to be flown after a dial around the glass has been properly set. The glass covers the top of the compass case, so that a mariner's watchman, as that one looks down at it in order to read it.

There are four parallel lines spaced about three-eighths of an inch apart, across the glass, and the pointer is kept between the two center lines, which is each side these watching lines markings. In this compass, also, there is no tendency toward rotation.

There was just one objection to the compass as it was installed in my plane, but that was not a serious consequence. The instrument was designed for mounting at the left of the cockpit, but it was soon as interfered with the operation of the stabilizer control. As a result, it was placed on a little metal shelf at the right side, even though the radius was 180 deg. opposite. I used the left-hand throttle, of course. The ram and bank indicator was mounted on the dash, together with an altimeter, an airspeed meter, oil pressure

and temperature gauges, the tachometer and switch. All but the bank indicator were Consolidated Instruments.

As I say, with the exception of the two additional instruments, the plane that I flew is the Tour was in stock model. In fact, it differed only slightly from the Wright J-5-powered Waco that was flown to victory in 1928. The most apparent changes were an increase in the arm of the elevator and horizontal stabilizer, and the addition of a new split type of landing gear in which the main carrying the Uffers shock absorbing unit has been shortened and the rest itself better strengthened.

The wheels on the plane might be said to have been special equipment at the time, although I have been given to understand that the straight wing 225's are now being equipped with them. The experimental department of The Waco Aircraft Company had been conducting a series of tests with two sets of Bendix roller bearing brake wheels, and it was these wheels that were installed on the Tour's main gear. The advantage of the wheels is that they are similar to the type commonly utilized, permitting the use of 300's in tires instead of the customary 345's in use. The resulting reduction in parabolic resistance probably added one mile an hour to the speed of the plane. Incidentally, the brakes are operated with the heels.

The wing roots were fitted into the fuselage with larger streamlined shapes than have been used heretofore. It is known that there is an 180 to 200 sq. ft. of an airfoil at the point where it joins the fuselage, because of the slight extra cost. For passenger carrying, these shapes were designed to reduce that turbulence to a minimum, with a resultant increase in the speed of the plane from perhaps one to two miles per hour. This streamlining cannot be considered a special job, since all Waco planes may be fitted with the forcing at a slight extra cost. For passenger carrying, however, the streamlining probably would be of little value, since it is of such proportions as to entirely cover the fuselage on each side of the fuselage.

Two types of control are available on the new 225



By JOHN H. LIVINGSTON
Winner of the 1929 National Air Tour

AT THE REQUEST of Mr. Warner, editor of AVIATION, I shall attempt to give some of the most important points in regard to my preparations for the 1929 National Air Tour and, also, the methods I employed in the actual flying necessitated by the contest.

The Waco Aircraft Company, Troy, Ohio, had asked me to fly one of the two planes it was entering in the Tour. I had planned to, and had pilot a Waco "225" straight wing model, powered with a Wright "Whirlwind-Sevens."

A thorough study of the scoring formula was the first requisite, of course. It will be remembered that this year the formula was modified to a certain extent. The principal change was in the use of one-half the stick time instead of full stick (the landing was measured in time), in computing the figure of merit for each of the contesting planes. Personally, I feel that the original formula expressed very completely the real purpose of the Tour, and that full value should continue to be given the importance of the time of landing and take-off. I do not know of any airplane that is incapable to get as far as landing is concerned. If it is possible to make such a landing as an extremely small field, then the ability is the most valuable assurance of the real reliability of the plane. That is true. However, if the ability to get out of a small field, but it is not of such great importance, since



The Ford Trophy and my new jumper

straight wing. One is built up higher around the forward cockpit, providing better streamlining, while the other is lower and has a wider opening for ease in getting in and out. The latter is advantageous for passenger carrying, although the cockpit with either type is large enough for two persons. The more streamlined type of winging, of course, was selected for the Waco entry in the National Air Tour. But so much for the plane itself.

The official speed trials were held at Ford Airport Thursday Oct. 2. To hitting the speed factor required by the formula, I have to remind the fact that the rules of the Tour required that all tests be completed at 85 per cent of top, or formula speed. Inasmuch as more 5,000 miles of flying obviously could not be done at the highest possible speed, I decided to set a formula speed in the neighborhood of 30 m.p.h. below the maximum of the plane. This was done by going into a shallow dive at an altitude which would have allowed me to increase the speed over the course by moving the plane down, rather than something moving the engine up. Needless to say, I was anxious to hit the engine as much as possible. At any rate, the actual speed demonstrated was 135-44 m.p.h.

The remainder of the official tests were to have been conducted the next day, but were postponed to allow a number of citizens that had been delayed in the East by the weather an opportunity of competing. Some indication of these tests may be of interest.

After the start of last year's Tour, there was some dissatisfaction among the contestants at the low landing test figures. I was present at the tests, but was not saying that might have been the cause of criticism, although it was said that certain pilots had made "special" landings. With that in view, I was much pleased on learning that the officials had ruled that year that the landings and take-offs would be made on a concrete runway, providing the same surface for everyone.

A little experience soon showed conclusively that a powered landing was of no value in decreasing the landing run, because a plane that was parallel to the

runway bounced, thereby lengthening the time. It was found that the best and shortest landing was of the orthodox three-point variety. By making a perfect landing at all types, I found that the airplane I was using could be set down regularly in less than 100 ft.

In the take-offs, the linkers were applied and the tail lifted to a point where its position is normal flight. Then the linkers were quickly released and the stick pulled back after the plane had gained plenty of flying speed. An attempt to pull the plane off too quickly added materially to the take-off time.

WHEN THE TESTS were finally completed, the figure of merit for my Waco seemed rather attractive. However, no one in the start felt too certain as to the final outcome of the Tour. This was the result possibly of the ruling that no work could be performed on any of the planes entered, outside of the 2-hr. period set aside for that purpose each day before the take-off. I am happy to say that on my own airplane, as well as that of Mr. Davis, no mechanical work became necessary either during the routine cleaning of the gasoline and oil systems and a periodic checking of the valves.

According to the formula, it was necessary for me to sustain a speed at all times of 115-124 m.p.h. For that reason, I planned to set a ground speed of 120 m.p.h. in order to compensate for any possible errors in my own watch or the watches of the timers. I was fortunate in that this speed made it easy to check my position at any time. For it was just two miles a minute.

I used standard Rauli McNally maps of the various states and the Canadian provinces through which the Tour led us. In addition, I also carried a number of Departments of Commerce "Aerney Balkans," which showed the various airports where the Tour planes were to land in more detail than did the larger maps. While it was not necessary to use the Balkans to any great extent, I felt that they would be of value in thick weather.

Each night while the Tour was in progress, although I must admit that it was more uncertain in the cockpit

Others. It was impossible to estimate the speed of the wind with any degree of accuracy at the time. However, I knew that I was making good time even though I thrust the engine down until the altimeter pointer showed from 90 to 95 m.p.h. There was little to check on wind as how far passed, and then I found that the plane had traveled 300 miles.

To the extent of bad weather, I planned to check on everything possible along the course. That again is a matter of experience. While the total number of hours I have in the air is not extensive, much of my experience has been in severe cross-country work. As a result, I think that perhaps I have developed a knack of recognizing little things that help me to stay on the course—things that another pilot might overlook.

For example, the map may show two towns, practically the same size, with railroads crossing them at the same place. Let us assume that there is a river, and that, looking about the same as reference to the towns. However, the map may show that the river makes a slight bend near one of those towns. That bend can be used to identify it. Some pilots, not accustomed to the particular type of cross-country work to which I refer, might fail to notice that bend entirely.



Author's Whittaker proved there is light

before the take-off as the morning. I attempted to set my compass for the next leg. This was done on the map through the use of a Pioneer compass protractor. The reference was shown on the map, while the deviation was obtained from a chart worked out for the plane by one of the server crew of Pioneer instrument Company before I left Detroit. With the true course, the variation and deviation, it was a simple matter to determine the compass course.

On the map itself, I drew a straight line from one landing field to the next, and then marked that line off at 10-mile intervals so that I might check my position every ten minutes. My map watch, of course, was set when the plane was given the starting signal. The unfortunate part was that there was nothing on the ground with which I could check at each stop (outside of all cases). However, I lost no time as a result of poor navigation.

On the lap from St. Louis to Springfield, Mo., for example, there was nothing along the surface near on which it was possible to check my position until I had flown 30 miles. At that point, I checked on a railroad and found that I was one and one-half minutes late, according to my 120 m.p.h. schedule. That meant that I was three miles behind, figuring the speed at two miles a minute. There was an hour more of flying left on that leg. I was already three miles behind at the end of the first 15 mi., and it was apparent that if I continued to fly at the same speed for the next hour I would be behind 12 miles more. I was particularly anxious to sustain a speed of 120 m.p.h. because we were getting over toward the Kansas rivers, and, needless to say, the Kansas winds. For that reason, I passed the engine until I reached a speed of 15 m.p.h. faster than I had been traveling. As a result, I came in four minutes ahead on time with an average speed of 123 m.p.h. for the run.

As a general rule, I compensated for the wind in my experience dictated while in the air. The observation is cloud shadows, where there were any cloud shadows to observe, helped some, and the weather reports with which we were supplied were of value, too. Although the Tour planes met with head winds a good portion of the time, there was one leg on which we had a tail wind of more than 60 m.p.h. That was on the run from Toronto to

If the weather became too thick, I planned to follow a railroad or a river, provided it was not too far off the course. We had an example of the value of that on the Tour between St. Paul and Winona, Minn. I was flying along the river when I saw that several of the Tour planes had landed. I went down close to the ground and was told that there was thick weather ahead. Some of the planes had attempted to go through and had returned. However, I wanted to maintain my perfect score, at that time possible, so I took off again. The report concerning the weather was correct. In fact, there were about 30 miles that I flew along the treeline. In that instance, I followed a compass course, but as it happened there was a railroad running parallel to it, which would have been of the utmost advantage had the weather been any thicker than it was. I flew five miles, but I came in eight minutes ahead of time so that leg report.

THE BUREAU OF STANDARDS in my plane, which raised up 2,300 r.p.m. at full throttle, was never run under open for a full leg of the Tour. That is shown by the fact that the maximum of temperature throughout the entire 5,000 miles of flying was never over 172 deg. F., while the average temperature was from 135 to 145 deg. F. It would be impossible for me to estimate the average number of r.p.m. at which I ran the engine, for its speed was consciously varied to meet the conditions. I attempted to maintain a speed of 120 m.p.h., and the engine was operated to give me that speed, which I felt was a mile margin over that required to establish a perfect score. It may be of interest to note that in checking my log, I find that the average speed of my Waco for the 5,000 miles flown was 120.95 m.p.h. Mr. Davis sustained an average speed of 129.62 m.p.h.

At this point I might mention the splendid performance of the two Wacos. The landing and take-off tests (conducted only by inspections of accidents in each case) are in my opinion that Mr. Davis set his true spot noticeably low, probably at the suggestion of the factory, as a safety provision in view of the fact that mine was set a little high. Mr. Davis was rebuffed at a perfect score, only because of an error in his own stop watch timing in the flight in Springfield, Mo.



After 5,000 miles in his winning plane, with Eugene Webb in Waco entered competition in the National Air Tour

THE Fokker F-32

TRANSPORT MONOPLANE

IN ORDER to meet the demand for a transport plane of greater passenger capacity than the F-30-A, the Fokker Aircraft Corporation, Division of the General Motors Corporation, has developed the F-32, a four engined, thirty-two passenger monoplane of 22,500 lb. gross weight. The first airplane of this type has been test flown and the second is under construction at the Teterboro plant, while preparations are being made to fill an order for five of these airplanes for Western Air Express to be used in service between Los Angeles and San Francisco, Calif.

Although the characteristics of Fokker practice are noticeable in many of the design features, there are several interesting differences, most of which have been necessitated by the increased size and weight of the airplane. Probably the most noteworthy of these is the disposition of the four Pratt & Whitney Blount engines in "twin tandem" arrangement. Each pair of engines is mounted in a nacelle below the wing and at the side of

the fuselage, the forward engines having two blade tractor propellers, and the rear engines pusher propellers of the three blade type. This power plant influences the design of landing gear and tail surfaces which will be treated in detail later.

THE F-32 has a wing span of 99 ft., an overall length of 61 ft. 30 in., and an overall height of 16 ft. 6 in. The weight of the plane empty is 14,500 lb. and the gross weight 22,500 lb. The wing loading is 17.50 lb. per sq. ft. with full tail load at take off and the power loading is 10.73 lb. per hp.

The wing has a total area of 1,150 sq. ft. and follows Fokker cantilever design. It is of two spar construction. Spars are tapered and of the box type, with upper and lower laminations. They are built up of 3 in. laminated veneer, separated by compression members and covered, front and rear, by a plywood web. The height of the front spar at the center is approximately 44 in. To facilitate manufacture and because of the fact that the spars are very large, they are constructed in two halves with a joint at the center. This joint is of special design and extended to carry the loads from one half to the other.

Wing ribs are made of $\frac{1}{2}$ in. plywood, reinforced by 1- $\frac{1}{2}$ in. spruce stiffeners and are triangular in shape for the outer ribs and change to round holes toward the tip. The wing cover consists of birch, three ply veneer, varying from 24 mm. (0.984 in.) at the center section to 12 mm. (0.472 in.) at the tips.

Severely back of the leading edge amounts to 56 in. and the dihedral to 31 deg. The total all-over area is 67.6 sq. ft. The ailerons are of the Pratt type, constructed in accord with standard Fokker practice and attached to the wing by four bearings each. They are also equipped with pulley balance.

The fuselage is built of chrome molybdenum steel tubing with welded joints, covered with doped fabric, except at the nose where a covering of bonded aluminum alloy sheet is used. In general the construction is



Above—Cabin interior showing distinctive shaping of landing structure, lightweight design of floor and overhead routes not duplicated by the Fokker Aircraft Corporation airplanes.

similar to that of the F-10 models. Mild carbon steel, however, is used in the F-10. A fuselage tail piece is used to fair the end of the fuselage and make detachable. This is a light steel tube, braced, covered with fabric. On this portion of the fuselage are mounted tail lights of Pyle National make, one on each side at the top of the fairing.

The cabin floor is of the true type, made up of 0.025 aluminum alloy sheet deeply corrugated and covered with 7 in. plywood. Riveted aluminum alloy plate girders are used for floor beams and are equipped with shaped tube members at the bottom and have vertical stiffeners at channel sections. The baggage compartment which is located under and in front of the pilot's cockpit floor and occupies the front portion of the fuselage has a capacity of 160 cu. ft. Two Pyralis windows, 84 in. in diameter, are located one on each side. The space available for radio installation is 3 ft. 4 in. long, 3 ft. 9 in. high and 7 ft. wide, extending from one side of the plane to the other.

There are four passenger compartments. The forward compartment, directly behind the pilot's cabin, is 7 ft. 7 in. wide, 5 ft. 9 in. high and 6 ft. 4 in. long. The second compartment is 8 ft. 10 in. wide, 7 ft. 5 in. high


and 6 ft. 11 in. long. This division is followed by a galley on each side of the aisle, measuring 2 ft. 6 in. in length with a space of 3 ft. 4 in. between the aisle and the side of the plane with an available height of 8 ft. 6 in. One 84 in. in diameter window is located on each side, and two on the ceiling. The third compartment located directly behind the galley measures 6 ft. 8 in. in length, 8 ft. 7 in. in width and 8 ft. 1 in. in height. Directly behind this compartment is the last compartment which is 6 ft. 8 in. in length, 8 ft. 3 in. in width and 7 ft. 84 in. in height. Behind this last compartment and running across the plane is the entrance, 2 ft. 6 in. long, 8 ft. 2 in. wide and 6 ft. 11 in. high. There are two aluminum frame entrance doors one on each side, 2 in. 6 in. wide and 4 ft. 9 in. high. There are the entrance doors for the passengers. Each one of these doors has an 8 in. diameter round window. Located

directly behind the entrance compartment are two lavatories 2 ft. 10 in. long by 3 ft. 54 in. wide, with head room 6 ft. 04 in. The cabin has sixteen windows, 36 in. long by 10 in. high, of 4 in. non-detachable glass and when permanently mounted. Ventilation is provided by means of eighteen 8 shaped tube ventilators, each having a throat diameter of 1 in. These ventilators are arranged one by running them, either section of cabin or, pressure of outside air into the cabin can be regulated. This simple and effective ventilator design is a Fokker development.

The outer side of the cabin is 2 ft. 3 in. wide with an average height of 5 ft. 10 in. As a day passenger, provision is made for 30 passenger seats, arranged into four compartments. As a night sleeper, the cabin is transformed into eight sections, accommodating sixteen berths, eight upper and eight lower. Any combination of passenger, mail and express can be worked out to suit any particular commercial demands.


The cockpit enclosure is of the usual Fokker type that is, with an inwardly slanted V front of 115 deg. inclined wings. The two sliding front windows are 4 in. by 10 in. long by 12 in. high. The two side windows are also 3 in. by 10 in. long by 16 in. high. The cockpit structure is built into the wing nose, and has at its forward part two top doors of reinforced aluminum with grove offset windows for opened

Photograph of the wing structure of the Fokker F-32 showing construction details including the specially shaped joint between the halves of the spars.



walkway. The top of the cockpit enclosure is domed, and aft of the pilot seat the enclosure sides are of 6063 corrugated aluminum alloy, properly reinforced and sealed in the wing nose with Plastic Comfort weather strips.

These instrument boards are provided. The main instrument board contains the engine tachometers, oil pressure and temperature indicators, ignition switches, and master control switch. On the left side of the instrument board is mounted the special navigation panel on



Sketch—A, cross-section of the main gear wheel. B, tail wheel. C, landing gear. D, landing gear. E, landing gear. F, landing gear. G, landing gear. H, landing gear. I, landing gear. J, landing gear. K, landing gear. L, landing gear. M, landing gear. N, landing gear. O, landing gear. P, landing gear. Q, landing gear. R, landing gear. S, landing gear. T, landing gear. U, landing gear. V, landing gear. W, landing gear. X, landing gear. Y, landing gear. Z, landing gear. AA, landing gear. AB, landing gear. AC, landing gear. AD, landing gear. AE, landing gear. AF, landing gear. AG, landing gear. AH, landing gear. AI, landing gear. AJ, landing gear. AK, landing gear. AL, landing gear. AM, landing gear. AN, landing gear. AO, landing gear. AP, landing gear. AQ, landing gear. AR, landing gear. AS, landing gear. AT, landing gear. AU, landing gear. AV, landing gear. AW, landing gear. AX, landing gear. AY, landing gear. AZ, landing gear. BA, landing gear. BB, landing gear. BC, landing gear. BD, landing gear. BE, landing gear. BF, landing gear. BG, landing gear. BH, landing gear. BI, landing gear. BJ, landing gear. BK, landing gear. BL, landing gear. BM, landing gear. BN, landing gear. BO, landing gear. BP, landing gear. BQ, landing gear. BR, landing gear. BS, landing gear. BT, landing gear. BU, landing gear. BV, landing gear. BW, landing gear. BX, landing gear. BY, landing gear. BZ, landing gear. CA, landing gear. CB, landing gear. CC, landing gear. CD, landing gear. CE, landing gear. CF, landing gear. CG, landing gear. CH, landing gear. CI, landing gear. CJ, landing gear. CK, landing gear. CL, landing gear. CM, landing gear. CN, landing gear. CO, landing gear. CP, landing gear. CQ, landing gear. CR, landing gear. CS, landing gear. CT, landing gear. CU, landing gear. CV, landing gear. CW, landing gear. CX, landing gear. CY, landing gear. CZ, landing gear. DA, landing gear. DB, landing gear. DC, landing gear. DD, landing gear. DE, landing gear. DF, landing gear. DG, landing gear. DH, landing gear. DI, landing gear. DJ, landing gear. DK, landing gear. DL, landing gear. DM, landing gear. DN, landing gear. DO, landing gear. DP, landing gear. DQ, landing gear. DR, landing gear. DS, landing gear. DT, landing gear. DU, landing gear. DV, landing gear. DW, landing gear. DX, landing gear. DY, landing gear. DZ, landing gear. EA, landing gear. EB, landing gear. EC, landing gear. ED, landing gear. EE, landing gear. EF, landing gear. EG, landing gear. EH, landing gear. EI, landing gear. EJ, landing gear. EK, landing gear. EL, landing gear. EM, landing gear. EN, landing gear. EO, landing gear. EP, landing gear. EQ, landing gear. ER, landing gear. ES, landing gear. ET, landing gear. EU, landing gear. EV, landing gear. EW, landing gear. EX, landing gear. EY, landing gear. EZ, landing gear. FA, landing gear. FB, landing gear. FC, landing gear. FD, landing gear. FE, landing gear. FF, landing gear. FG, landing gear. FH, landing gear. FI, landing gear. FJ, landing gear. FK, landing gear. FL, landing gear. FM, landing gear. FN, landing gear. FO, landing gear. FP, landing gear. FQ, landing gear. FR, landing gear. FS, landing gear. FT, landing gear. FU, landing gear. FV, landing gear. FW, landing gear. FX, landing gear. FY, landing gear. FZ, landing gear. GA, landing gear. GB, landing gear. GC, landing gear. GD, landing gear. GE, landing gear. GF, landing gear. GH, landing gear. GI, landing gear. GJ, landing gear. GK, landing gear. GL, landing gear. GM, landing gear. GN, landing gear. GO, landing gear. GP, landing gear. GQ, landing gear. GR, landing gear. GS, landing gear. GT, landing gear. GU, landing gear. GV, landing gear. GW, landing gear. GX, landing gear. GY, landing gear. GZ, landing gear. HA, landing gear. HB, landing gear. HC, landing gear. HD, landing gear. HE, landing gear. HF, landing gear. HG, landing gear. HH, landing gear. HI, landing gear. HJ, landing gear. HK, landing gear. HL, landing gear. HM, landing gear. HN, landing gear. HO, landing gear. HP, landing gear. HQ, landing gear. HR, landing gear. HS, landing gear. HT, landing gear. HU, landing gear. HV, landing gear. HW, landing gear. HX, landing gear. HY, landing gear. HZ, landing gear. IA, landing gear. IB, landing gear. IC, landing gear. ID, landing gear. IE, landing gear. IF, landing gear. IG, landing gear. IH, landing gear. II, landing gear. IJ, landing gear. IK, landing gear. IL, landing gear. IM, landing gear. IN, landing gear. IO, landing gear. IP, landing gear. IQ, landing gear. IR, landing gear. IS, landing gear. IT, landing gear. IU, landing gear. IV, landing gear. IW, landing gear. IX, landing gear. IY, landing gear. IZ, landing gear. JA, landing gear. JB, landing gear. JC, landing gear. JD, landing gear. JE, landing gear. JF, landing gear. JG, landing gear. JH, landing gear. JI, landing gear. JJ, landing gear. JK, landing gear. JL, landing gear. JM, landing gear. JN, landing gear. JO, landing gear. JP, landing gear. JQ, landing gear. JR, landing gear. JS, landing gear. JT, landing gear. JU, landing gear. JV, landing gear. JW, landing gear. JX, landing gear. JY, landing gear. JZ, landing gear. KA, landing gear. KB, landing gear. KC, landing gear. KD, landing gear. KE, landing gear. KF, landing gear. KG, landing gear. KH, landing gear. KI, landing gear. KJ, landing gear. KK, landing gear. KL, landing gear. KM, landing gear. KN, landing gear. KO, landing gear. KP, landing gear. KQ, landing gear. KR, landing gear. KS, landing gear. KT, landing gear. KU, landing gear. KV, landing gear. KW, landing gear. KX, landing gear. KY, landing gear. KZ, landing gear. LA, landing gear. LB, landing gear. LC, landing gear. LD, landing gear. LE, landing gear. LF, landing gear. LG, landing gear. LH, landing gear. LI, landing gear. LJ, landing gear. LK, landing gear. LL, landing gear. LM, landing gear. LN, landing gear. LO, landing gear. LP, landing gear. LQ, landing gear. LR, landing gear. LS, landing gear. LT, landing gear. LU, landing gear. LV, landing gear. LW, landing gear. LX, landing gear. LY, landing gear. LZ, landing gear. MA, landing gear. MB, landing gear. MC, landing gear. MD, landing gear. ME, landing gear. MF, landing gear. MG, landing gear. MH, landing gear. MI, landing gear. MJ, landing gear. MK, landing gear. ML, landing gear. MM, landing gear. MN, landing gear. MO, landing gear. MP, landing gear. MQ, landing gear. MR, landing gear. MS, landing gear. MT, landing gear. MU, landing gear. MV, landing gear. MW, landing gear. MX, landing gear. MY, landing gear. MZ, landing gear. NA, landing gear. NB, landing gear. NC, landing gear. ND, landing gear. NE, landing gear. NF, landing gear. NG, landing gear. NH, landing gear. NI, landing gear. NJ, landing gear. NK, landing gear. NL, landing gear. NM, landing gear. NN, landing gear. NO, landing gear. NP, landing gear. NQ, landing gear. NR, landing gear. NS, landing gear. NT, landing gear. NU, landing gear. NV, landing gear. NW, landing gear. NX, landing gear. NY, landing gear. NZ, landing gear. OA, landing gear. OB, landing gear. OC, landing gear. OD, landing gear. OE, landing gear. OF, landing gear. OG, landing gear. OH, landing gear. OI, landing gear. OJ, landing gear. OK, landing gear. OL, landing gear. OM, landing gear. ON, landing gear. OO, landing gear. OP, landing gear. OQ, landing gear. OR, landing gear. OS, landing gear. OT, landing gear. OU, landing gear. OV, landing gear. OW, landing gear. OX, landing gear. OY, landing gear. OZ, landing gear. PA, landing gear. PB, landing gear. PC, landing gear. PD, landing gear. PE, landing gear. PF, landing gear. PG, landing gear. PH, landing gear. PI, landing gear. PJ, landing gear. PK, landing gear. PL, landing gear. PM, landing gear. PN, landing gear. PO, landing gear. PP, landing gear. PQ, landing gear. PR, landing gear. PS, landing gear. PT, landing gear. PU, landing gear. PV, landing gear. PW, landing gear. PX, landing gear. PY, landing gear. PZ, landing gear. QA, landing gear. QB, landing gear. QC, landing gear. QD, landing gear. QE, landing gear. QF, landing gear. QG, landing gear. QH, landing gear. QI, landing gear. QJ, landing gear. QK, landing gear. QL, landing gear. QM, landing gear. QN, landing gear. QO, landing gear. QP, landing gear. QQ, landing gear. QR, landing gear. QS, landing gear. QT, landing gear. QU, landing gear. QV, landing gear. QW, landing gear. QX, landing gear. QY, landing gear. QZ, landing gear. RA, landing gear. RB, landing gear. RC, landing gear. RD, landing gear. RE, landing gear. RF, landing gear. RG, landing gear. RH, landing gear. RI, landing gear. RJ, landing gear. RK, landing gear. RL, landing gear. RM, landing gear. RN, landing gear. RO, landing gear. RP, landing gear. RQ, landing gear. RR, landing gear. RS, landing gear. RT, landing gear. RU, landing gear. RV, landing gear. RW, landing gear. RX, landing gear. RY, landing gear. RZ, landing gear. SA, landing gear. SB, landing gear. SC, landing gear. SD, landing gear. SE, landing gear. SF, landing gear. SG, landing gear. SH, landing gear. SI, landing gear. SJ, landing gear. SK, landing gear. SL, landing gear. SM, landing gear. SN, landing gear. SO, landing gear. SP, landing gear. SQ, landing gear. SR, landing gear. SS, landing gear. ST, landing gear. SU, landing gear. SV, landing gear. SW, landing gear. SX, landing gear. SY, landing gear. SZ, landing gear. TA, landing gear. TB, landing gear. TC, landing gear. TD, landing gear. TE, landing gear. TF, landing gear. TG, landing gear. TH, landing gear. TI, landing gear. TJ, landing gear. TK, landing gear. TL, landing gear. TM, landing gear. TN, landing gear. TO, landing gear. TP, landing gear. TQ, landing gear. TR, landing gear. TS, landing gear. TT, landing gear. TU, landing gear. TV, landing gear. TW, landing gear. TX, landing gear. TY, landing gear. TZ, landing gear. UA, landing gear. UB, landing gear. UC, landing gear. UD, landing gear. UE, landing gear. UF, landing gear. UG, landing gear. UH, landing gear. UI, landing gear. UJ, landing gear. UK, landing gear. UL, landing gear. UM, landing gear. UN, landing gear. UO, landing gear. UP, landing gear. UQ, landing gear. UR, landing gear. US, landing gear. UT, landing gear. UY, landing gear. UZ, landing gear. VA, landing gear. VB, landing gear. VC, landing gear. VD, landing gear. VE, landing gear. VF, landing gear. VG, landing gear. VH, landing gear. VI, landing gear. VJ, landing gear. VK, landing gear. VL, landing gear. VM, landing gear. VN, landing gear. VO, landing gear. VP, landing gear. VQ, landing gear. VR, landing gear. VS, landing gear. VT, landing gear. VY, landing gear. VZ, landing gear. WA, landing gear. WB, landing gear. WC, landing gear. WD, landing gear. WE, landing gear. WF, landing gear. WG, landing gear. WH, landing gear. WI, landing gear. WJ, landing gear. WK, landing gear. WL, landing gear. WM, landing gear. WN, landing gear. WO, landing gear. WP, landing gear. WQ, landing gear. WR, landing gear. WS, landing gear. WT, landing gear. WY, landing gear. WZ, landing gear. XA, landing gear. XB, landing gear. XC, landing gear. XD, landing gear. XE, landing gear. XF, landing gear. XG, landing gear. XH, landing gear. XI, landing gear. XJ, landing gear. XK, landing gear. XL, landing gear. XM, landing gear. XN, landing gear. XO, landing gear. XP, landing gear. XQ, landing gear. XR, landing gear. XS, landing gear. XT, landing gear. XU, landing gear. XV, landing gear. XW, landing gear. XX, landing gear. XY, landing gear. XZ, landing gear. YA, landing gear. YB, landing gear. YC, landing gear. YD, landing gear. YE, landing gear. YF, landing gear. YG, landing gear. YH, landing gear. YI, landing gear. YJ, landing gear. YK, landing gear. YL, landing gear. YM, landing gear. YN, landing gear. YO, landing gear. YP, landing gear. YQ, landing gear. YR, landing gear. YS, landing gear. YT, landing gear. YU, landing gear. YV, landing gear. YW, landing gear. YX, landing gear. YZ, landing gear. ZA, landing gear. ZB, landing gear. ZC, landing gear. ZD, landing gear. ZE, landing gear. ZF, landing gear. ZG, landing gear. ZH, landing gear. ZI, landing gear. ZJ, landing gear. ZK, landing gear. ZL, landing gear. ZM, landing gear. ZN, landing gear. ZO, landing gear. ZP, landing gear. ZQ, landing gear. ZR, landing gear. ZS, landing gear. ZT, landing gear. ZU, landing gear. ZV, landing gear. ZW, landing gear. ZX, landing gear. ZY, landing gear. ZZ, landing gear.

which is mounted compass, rate of climb indicator, altimeter, air speed and bank and turn indicator.

A main instrument panel is located directly behind the pilot's seat at the center and easily reached has mounted on it the controls for radiotelex air, radio, engine controls, spark controls, starter switches and releasing switches. On the right side of this board are the right flare release, right engine nose cowling controls, right oil tank vent, auxiliary controls being located on the opposite side of this board. An additional board located on the left side of the co-pilot seat and directly under the secondary board, provides for all the light switches and fuse panels.

The baggage compartment is lined with corrugated aluminum over a distance of 30 in. above the floor and all around the perimeter forward of the cabin bulkhead. The trap door 27 in. wide by 40½ in. long, hinged at the rear, fitted with the fastenings outside covering and flush with the pilot's compartment floor can be used for the pilot's entrance and exit, and loading baggage. This locker has a telescopic extension used to permit access to the compartment through the trap. As the pilot's door is relatively high, a permanent ladder with three steps is used to reach it from the cabin floor level. The wing is attached to the fuselage by means of four bolts connecting the spars to the fuselage structure, the fastenings being parallel to the longitudinal. The wing is fitted into the fuselage by curved aluminum strips to reduce resistance and improve the appearance.

The tires of the landing gear is 20 in. Bendix wheels, 54x12 are used, with Bendix wheel brakes, having a drum of 20 in. diameter and brake lining 2 in. wide, are used 58x14. The landing gear is of the divided axle type with brace struts connecting the axle to the wheel, with the nacelle structure just ahead of the rear engine. The connection of this strut by the nacelle as well as the connection of the axle to the fuselage, is by means of a ball and socket.

Axles proper are made of 4 in. diameter chrome molybdenum steel tubing, 4 in. in wall thickness, and are heat-treated to 180,000 lb. per sq. in. The wheels are equipped with Timken roller bearings. The lower strut is of the "Vee" type, cross braced with the apex of the Vee at the nacelle. This strut also takes the brake torque reaction loads.

The shock absorber unit consists of an air pressure cylinder, variable model for shock absorption being 5 in. It is hinged to the bottom of the nacelle by means of a universal joint and connected to the bottom of the landing flange assembly. To reduce resistance, wheel fairings of corrugated aluminum alloy, fastened to a light steel tube structure, are used.

The tail wheel is mounted in a special fork and is equipped with 21x60 tire. It is mounted on Timken Roller Bearings. The tail wheel center is 10 in. and the fork construction is of chrome molybdenum steel tubing. There is a shock bearing at the top of the fork center tube—360 deg. rotation of fork is permitted. The control rotation is 30 deg., but should a sudden side load demand greater rotation, an automatic release relieves the wheel load and permits complete wheel rotation. In addition a hand release is also provided for moving the plane around by ground crew. This tail wheel is also provided with a landing assembly constructed to that of the landing gear wheel fairings.

One of the interesting features of the plane is the power plant which consists of a two-busbar installation

AVIATION November 9, 1939

AVIATION November 9, 1939



The engine compartment of the B-17 (continued from page 927)

of four Pratt & Whitney Hornet engines rated at 525 hp each. Two of these engines are mounted on each side on a nacelle structure of welded chrome molybdenum steel tubing. The engine mounts follow the standard Fowler practice, in a ring with welded lugs for engine mounting bolts.

The rotation of the front engines is counter clockwise and that of the rear engines clockwise, stabilizing the engine torque, the reaction of which is taken by the nacelle structure. Each nacelle is supported from the wing spars by means of a triangular structure of stress free chrome molybdenum steel tubes.

A double oil tank is located between the engines on each nacelle and is built up of 0.050 in. aluminum sheet, welded. Each tank contains has a capacity of 37 U. S. gallons. At the bottom of each oil tank are four 1 in. in diameter tubes, running through both nacelles, with venting scoop on the inside of the nacelle, allowing the air from the front propeller alignment, blowing it through the tubes and exhausting it within the nacelle cowling. A filter neck protrudes through the nacelle

Upper right—double oil tank showing construction of tail wheel nacelle and shock absorber mechanism. Lower right—A drawing of the shock absorber mechanism. Below—Diagram of the tail wheel.



cowling with an opening 2½ in. in diameter. The oil lines are 1 in. x 0.040 aluminum tubes with the exception of the vent pipe which is ¾-in. 0.040 aluminum tubing.

The two wing primer cock and pump is mounted on the bottom of each nacelle and near the rear engine. Electric primer starters are standard equipment, and an engine driven generator is mounted on each front engine. The conventional starter magnets has been replaced with a vibrating coil for each pair of engines with control switches in cockpit.

The front propellers are two bladed tractor type, 10 ft. in diameter, while the rear propellers are three-bladed pusher type, 9 ft. in diameter. These propellers are of Standard Steel Manufacture with adjustable blades. The minimum ground clearance of the rear propeller is 2 in. and the clearance of the rear propeller with the landing is 11 in. The ground clearance between the nacelles is 20 in., or the same as the landing gear track.

Four fuel tanks, each having a capacity of 175 gal., are mounted in the wings between the spars. There are two tanks on each side. These tanks are made of aluminum 0.050 in. thickness and welded. The fuel system connection is so arranged that either front or rear engine or both on the same side can be fed from

either one or two tanks on the same side. The fuel cocks used are of the 10-2 type and are located directly over the nacelle and controlled from the cockpit by shafts. The fuel lines are of 1/40.032 copper tubing. There are no fuel lines inside the fuselage. Each engine exhaust manifold has been constructed of oval section with the object of relieving area resistance.



A view through the fuselage structure showing the engine exhaust manifold.



Labels showing a view through the fuselage and the engine exhaust manifold for the fuel line.

The front exhaust manifold has a single outlet, located on the outside of each nacelle. The rear engine exhaust manifold has two outlets, one on each side and directed outward to obtain better diffusion of the exhaust gas in the slipstream. The nacelle cooling at the center consists of fixed constricted aluminum alloy panels, whereas the engine cooling front and rear are fitted with safety fans and baffles for easy engine servicing.

The bearing arrangement of the poles consists of two P-12A coils, holders mounted on the front manifold outlet and connected to the cable bearing ducts by means of two stainless steel ducts between the nacelle and the fuselage, one on each side.

The tail surfaces are made up of welded chrome-molybdenum steel tubing, fabric covered and doped, and built by plywood bracing to the fuselage to obtain maximum rigidity. There are two radials and two fins. Both radials and elevators are balanced. The total tailfin area is 77 sq ft. The combined rudder area is 22.2 sq ft, the combined fin area is 269 sq ft and the elevator area is 72 sq ft.

Dual elevator and aileron controls, interconnected and positively operated by means of a servomotor and chain control, which are provided. This control, when diameter is 14 in., and the normal (downward) fin deflection control is 260 deg. Rudder control with flap pedals for steering position are also provided. All

controls are connected by flexible cables 1/4 in. in diameter. Rudder and elevator cables running in reinforced channels on each side of the fuselage and above the wingbox. Aluminum ball bearing pulleys are used throughout.

Engine throttle and mixture controls are centrally located on the main instrument board, the two outside levers operating the front engines and the center levers the rear engine throttles. These levers are connected to the throttles by bell cranks and rods. The fuel cock controls are connected to the rear instrument board (used by engine shutters and a control with eight level gears for right angle drive which is mounted on the front gear).

Fifty turns of the stabilizer handle are required for full travel of the stabilizer. The stabilizers are pivoted at the rear with the operating shaft at the front and extending through slots in the fuselage cover.

Navigational lights, Ryan retractable landing lights and instrument board lights are furnished with the plane as standard equipment. There are twelve cabin lights which used as a day transport. When used as a night transport six deeper, berth lights are substituted. An emergency battery electric motor starters are used and controlled from the cockpit. Two 65 ampere hour batteries are standard equipment. It may be mentioned here that the fuel gauges are of the electric type as manufactured by the General Electric Company and based on the principle of the fuel pressure drop, being on a carbon pile resistance. Four electric lightometers with tapered area of Weston manufacture are used as indicators for engine's speed.

The following special equipment was incorporated. Two Way flares located at the rear of the toilet compartment, operated by Redhead cable from the pilot's cockpit. Pressure type fire extinguisher if required can be installed.

Approved type certificate weight includes navigation lights, landing lights, electric motor starters, two 65 ampere hour batteries, hand equipment, but no flares and no pressure type fire extinguisher.

The specifications furnished by the manufacturer are as follows:

General Specifications

Wing area	99 ft.
Overall length	63 ft. 10 in.
Overall height	15 ft. 6 in.
Wing area	1,280 sq ft.
Gross weight	105 deg.
Wing loading	17.92 lb. per sq ft.
Power loading	13.75 lb. per sq ft.
Load factor (level loading and high incidence)	4.5

Day Transport

Empty weight	14,200 lb.
Crew of two	340 lb.
Fuel 400 gal.	2,400 lb.
Oil 40 gal.	340 lb.
Payload	5,200 lb.
Useful Load	8,300 lb.
Gross weight	22,900 lb.

Night Transport

Empty weight	14,200 lb.
Crew of three	510 lb.
Fuel 300 gal.	4,300 lb.
Oil 30 gal.	275 lb.
Payload (10 passengers)	3,215 lb.
Useful load	8,300 lb.
Gross weight	22,900 lb.

AVIATION
November 9, 1935

AVIATION
November 9, 1935

THE Opel ROCKET PLANE

A Brief Description Based on Authentic Material Received

From AVIATION'S German Correspondent

WHEN NEWSPAPERS all over the world carried the story of Fritz von Opel's successful flight in a rocket plane, Sept. 30, the event was a signal for reviving and amplifying all the wild theories about possible uses of rockets which have been floating around for years. Comparatively little attention was given to accurate reporting of the flight itself and the equipment.

As a matter of fact, rocket propulsion had been used with some success by the German pilot, Siegfried Koenig, some months before, in connection with the flight of a singular airplane. Herr von Opel's achievement consisted in making the first take-off, sustained flight and landing with the aid of rockets only, keeping his machine under reasonable control during the whole procedure. Actually, both the plane and the flight were strictly experimental in character, and were intended to secure further information rather than to prove the immediate practicability of rocket flying.

The machine used, as described by Herr von Opel himself, was a simple glider, with a single cantilever wing of wood construction. The edges of the wing were planked with wood and the remainder covered with fabric. The fuselage, of simple tapered wood construction with stout ash ribs running beneath it, was only large enough for the pilot, a conventional type of control stick, and a space on the rear for the line containing the rockets. It was attached to the body by means of slapping struts, supplemented by derrickman tubes to support the rocket containers. These tubes were also utilized by supports attached to the keel. The tail consisted of a horizontal landing surface, to which the elevator was attached. Adjacent to the latter were two fins to which the radials were fixed. The tail surfaces, in the same plane as the wing, were attached to the wing and to the fuselage by outriggers. These were so arranged as not to be in the path of the rocket exhausts.

The line containing sixteen rockets in rows of four fed into the abbreviated fuselage directly behind the cockpit. Their detonation was controlled by a mechanism

placed near the left hand of the pilot. Eleven of the rockets were of the Sander construction burning type which produces a surface thrust of about 30 lb. for a period of 25 sec. The other five were of a quick-burning type used in landing.

For the take-off, a runway was constructed, consisting of two U-shaped rails which served as a track for a small car upon which the plane rested. This car was also propelled by rockets, and in the 50-ft. useful length of the runway, attained a velocity of about 65 m.p.h., using only three rockets, each of which had a thrust of about 600 lb. In the opinion of Herr von Opel, the same velocity might be obtained on a runway only 25 ft. long without causing serious discomfort to the pilot. The acceleration was somewhat increased by a special arrangement of the rocket cable which was used to stop the carrying car after the plane took off. Speed limits were provided to prevent the plane from taking off before the carrying car reached its maximum velocity.

THE FIRST TWO TRIALS resulted in failure, but the third, from the point of view of the experiment, was entirely successful. Unfortunately, the comparatively small area of the Frankfurt airport made it necessary for Herr von Opel to make a downward turn after attaining an altitude of only about 50 ft. With a tail wind he was unable to maintain complete control of the machine, and it was consequently damaged in landing. The average velocity during the flight was about 35 m.p.h. The thrust of the rockets was estimated as varying between 145 and 220 lb.

Herr von Opel and his assistant, Friedrich Sander, who designed the rockets, are planning further tests with a new plane, which will probably be of light metal rather than wood construction. A longer runway will be used, and a much larger airport selected for the next operations. It is also possible that rockets using a new liquid explosive developed by Herr Sander, instead of the present powder rockets, may be used in future trials.



View von Opel taking off in the rocket plane at the Frankfurt airport.

MAKING THE Airport PAY FOR ITSELF

By J. E. BULLARD and AVERY E. LORD

LARGER, better and more airports is the crying need of the aviation industry today. Though we have been making rapid progress in all other directions, down at last yet a single airport in the United States that offers a landing area on which the largest planes now built can land and take off, every day in the year, with perfect safety, and which has a mass passenger terminal where passengers can embark from and disembark on any plane, if any airline using the port, without leaving the terminal building. Before the passenger business can be developed to the greatest degree that condition of affairs will have to be changed. Adequate, safe airports will have to be provided at every stop and more aviation goes to the comfort and convenience of passengers.

That the future of the industry requires that the major part of the airport development be in the form of solid ports is demonstrated by the history of motor vehicles. Soon after 1824 steam stage coaches were built and operated in England. One of the lines operated was between Chelmsford and Gloucester. This coach attained an average speed of between ten and fourteen miles an hour and there is every reason to believe that the motor bus business would soon have secured a firm footing had the steam coach lines not been dented the use of the highways.

Restrictive legislation was passed. Prohibitive tolls were charged and the chaos resulted in 1855 when an act was passed that among other restrictions required that the number of persons required to drive a stage coach be increased to three, that a man operate the vehicle with a red flag and that the speed be reduced to four miles an hour. Self-propelled vehicles being denied the use of the highways, the development of the motor

vehicle industry was delayed for some thirty years and all effort concentrated on railroad transportation.

The automobile industry started in the United States in 1896. During the early days it was handicapped by the lack of good roads. It has shown greater progress since the war than ever before, very largely because of the increase in road building. It continues to be somewhat in advance of the highway facilities as is indicated by the congested condition of our highways in many sections of the country.

THE AVIATION INDUSTRY cannot grow at a rapid rate until adequate airport facilities are provided. Air transport companies may be able to provide their own ports. The individual plane owners are not going to be in a position to provide airports for their own use any more than motor car owners are able to provide highways.

The air transport business has already reached a point where it can no longer be sustained by private plane owners, some of whom are using the planes for business purposes and others for pleasure, who would be forced to purchase the transport companies if there were no airport facilities for other than transport planes. Without an increasing number of public airports which the private plane owner can use, upon much the same basis as the motor car owner now uses the highways, we can expect that the aviation industry will be called upon to produce larger and larger planes and the demand for small planes for individual owners will be very seriously restricted.



Avery E. Lord ready for work in the cockpit of a biplane

Most of the present-day danger in flying are due to the lack of airports. The ports are not close enough together, and many of them are not large enough. There are still many cities where there is no public port. There is always danger that this condition will give rise to so many accidents that unless the public can be assured to provide ports it will be caused to demand legislation that will place unnecessary handicaps on private flying. It is obvious, therefore, that something should be done at once to set up public provision to the point where the necessary airports will become a reality, perhaps an airport every ten miles all over the country.

At the present time, however, airports are used by but a very small percentage of the people. At the end of the last year there was in use one plane for about every 30,000 people. Though there are many indirect benefits to be derived from airport developments the cost is high, and it is doubtful if taxpayers, even in the more progressive sections of the country, will continue to be willing to burden themselves with the bigger and bigger bond issues that will be needed unless these ports can show a substantial financial return. If a way can be found to make them fully self-supporting and to provide a solid base that will eventually retire the bonds, even the most conservative communities will hardly hesitate to provide all the airport facilities required.

The airport situation is not unlike the highway situation when the country was sparsely settled. In those days the sections of the country which provided the best highways were usually those where toll-roads were most frequent. The users of these roads provided so much which went at least part way toward paying for the construction and perhaps the maintenance of the highways. The advantage to the public of good highways became more and more apparent, and it became easier and easier to secure the funds needed for extending and improving the highway system.

The toll system on highways, however, instead of being discarded has been changed to license. Through automobile registration fees, drivers' license, property taxes

The First of Two Articles on Airport Economics and Conditions Affecting Airport Design in the Future

on the cars and gasoline taxes the tolls are collected. We have public highways, but we have practically no toll highways. In practically every state, each time a motorist stops at a filling station for gas, he pays a road toll.

Thus far, public airport development has been on a far more generous basis than has been the development of highways. The very prodigality with which a few cities have spent money has had a deterring effect upon others, and we have seen some city governments acting against providing any public airports. The cost of airport development is also becoming higher, which also makes this hesitant.

An analysis of the situation indicates that the average city must lay larger areas of land than many cities have bought in the past. The larger the area, within reason, the greater the certainty that the city will eventually receive back, not only all the development and maintenance as well as the operating costs, but perhaps also the original cost of the land. The larger the area of the land, however, the larger will have to be the bond issue, and unless a direct revenue can be secured from the very start it may not be possible to obtain an large a bond issue as is required.

The public money can be made to develop a larger and better airport if none of it is used in providing buildings. Therefore it seems wiser to buy the land and lease it to private enterprise than for the city to attempt to provide larger and other facilities of this general type. The government has seldom been very successful in conducting business enterprises. This is especially true where the undertaking is in a new and rapidly changing industry. Municipal electric light and gas plants have rarely proved successful, and there are comparatively few of them left in this country.

JUST AS soon as the city begins to build houses and other buildings it begins to get into business. It is also in a business where the charges are rapid. New buildings may be required on short notice with no money available for constructing them. It may be necessary to go to the public with a bond issue, and this may require months or a year or even, in the meantime the increased business at the port dependent upon the new buildings is lost.

For such reasons as these, and in order to realize the greatest possible income from the port, it is important that the public funds be used for no buildings at all if private capital can be found that will provide them. In



Shoring scene of the public transport at the Cleveland Airport. There are completed and one in under construction.

the case of exhibition halls and passenger terminals it may be necessary for the city to erect the structures, but for practically all other buildings private capital can usually meet the situation much better than the city can.

Public funds, then, need to be confined to the purchase of the land, the development of the landing area, and the provision of the lighting system. In other words, the public money should be spent only for those things which are required by all those using the port.

As there are no standard methods of airport accounting and in some cases and at some ports items may be charged to certain codes which are not so charged at other ports, accurate comparisons between different ports can hardly be made. Yet it is probable that no public airport is as yet actually meeting expenses, to say nothing of showing a net operating profit. This has been partly due to the fact that so many ports have been built for the purpose of attracting an air transport line or to locate airplane factories. American now has reached a stage, however, where engineers are seeking solutions first of all to a net profit as the first step of operation of a port.

A survey made by the Aerial Company of Cleveland at Jewettsville, N. Y., contains the following statements: A site of 230 acres is advised. The land will cost \$34,000, the construction of the airport, including runways, hangars, lighting facilities, etc., will cost \$114,000. The revenue during the first year is estimated at \$23,000 and the cost of operation and maintenance at between \$10,000 and \$12,000. A profit to apply on the bond issue of \$1,000 is indicated. As the bond issue is \$104,000 this would be a return of slightly over 7 1/2 per cent, or enough to pay interest, and if they are 5 per cent bonds to retire the bonds later, even if three

were an increase in air return, or less than three years in practice this most certainly would be a very satisfactory condition of affairs.

Newark, N. J., has applied to set up an airport system that has worked well in its earlier development. It has bought and filled marsh land in a total cost, after a bill of eleven feet, of about \$10,000 an acre. For leasing purposes it is making this land at \$30,000 an acre and making leases at an income of 10 per cent on this basis. Newark also charges for the use of the port ten per cent of all revenues from sight storage, fuel, and school fees. Two cents a gallon is collected on all gasoline sold at the port. Air mail companies pay a cent a pound for all mail carried, and a cent a pound is collected for all express and freight. A fixed charge is provided for each passenger carried by the transport companies.

The first seven months of operation at this base have shown the following results: Income, \$19,541.49; Expenses, \$23,565.57. The income has come from: Islets \$1,258.80; hangar space \$7,280.70; ten per cent tax on passenger flights \$6,055.80; unserviceable parking \$2,960.24; receipts from mail companies \$596.64. The cost of operation has shown an upward trend since the port was opened October 1, 1928. These expenses are: October, \$2,040.45; November, \$1,218.90; December, \$1,218.90; January, \$2,042.31; February, \$3,224.87; March, \$2,214.32; April, \$3,669.58.

Comments have been made that the charges at Newark are too high, and there is a possibility that they will have to be reduced or at least some changes be made in the schedule in order to hold the present business and to attract more. However, the general system has already worked well in the port development. The first cost

AVIATION November 9, 1929

AVIATION November 9, 1929

special standing to leave the port did so in 1922. In 1928 the traffic had grown to 700 sailings and arrivals a year, the handling of 35,000 cases of mail and 100,000 cases of freight, and 75,000 truck shipments. The total income from rentals and dockage five years ago amounted to only \$40,000. The total income from the port in 1928 was \$166,000.


As the deficit for the first seven months of the operation of the airport was only \$3,565.58, or about 2 1/2 per cent of the total operating cost, it is obvious that if the income grows at the rate the income of the Port of Newark development has, and if the present system of making charges is not changed, the airport is fairly going to show a net profit.

When the Newark airport is completed it will cover 400 acres. It will be divided into areas for various types of flying. One zone, having landward-outward runways, will be reserved for mail and passenger transport planes. One zone will be reserved for air schools. The National Guard will have an Air Squadron zone. There will be a sight-seeing zone. In addition to the landing area, there will be other land from which revenue will be derived. A strip of land 400 ft. deep and 4,000 ft. long parallel to the new State highway will be reserved for some future use not yet determined. Fifty acres on the eastern edge of the airport will be reserved for use by manufacturers of airplanes and equipment.

CLEVELAND has one of the largest airports in the country. It has an area of 3,000 acres available, 140 of which were already developed at the beginning of 1929 and the remainder of which it is expected will be developed before the end of the year. It has three municipal hangars and eleven private hangars. With less than 4,000 planes arriving and leaving the port in 1928, the traffic increased at such a rate that 17,600 planes used the field in 1928. Cleveland is rapidly reaching a point where the port promises to show a good operating profit.

A rental of \$10,000 a year is charged for a unit of airport for the erection of a hangar, reasonable charges are made for the use of the municipal hangars, a pro-rata charge is made for sight lighting to the planes when it there is a small landing charge.

Buffalo, N. Y., is another city that has given a great deal of attention to airport development and is now working out plans which will place the port on a paying basis. At present revenue is derived from the sale of gasoline, oil and supplies, the rental of buildings and the service of mechanics. The new plan calls for the leasing of land for building purposes. If the land is valued at \$1,000 as a fair value, it will be leased at \$250 an acre. The city will construct streets or taxi ways, stairways, water and light facilities and those who hold leases will be taxed on a foot-fringe basis to maintain these facilities. Clauses in the leases will enable the city to regulate the location of the land at any time it is required for the extension of the port. The sale of gasoline, oil, stor-



An view of Long Field Station, N. Y. Private capital invested in equipment amounts to more than \$1,000,000.

age, and mechanical services is made possible at the Buffalo airport through the establishment of a revolving fund of \$5,000. The empty space from the land must be replaced through sales, and as a profit account, a fund of supplies in quantities set and in prices reduced.

At Dayton, Ohio, airport revenues are derived from the following sources. Hangar charges are from \$200 to \$6,000 a night per plane. The maximum charge is \$400, and this holds for a plane up to 35 ft. Up to 31 ft. the charge is \$250. From that up for a single-engine plane the charge is \$300, and for three-engine planes the rate is \$600. These charges include assistance in bringing the plane in and out of the hangar and other minor services. The monthly hangar charge is based approximately at \$100 per foot of wing span. Special rates may be given for ships with folding wings. An approximate estimate of five cents a gallon over the tank rate for gasoline is charged, and a corresponding rate for oil. There is a charge of \$1.00 an hour for unskilled labor and \$2.00 an hour for skilled labor working on all ships. Other revenues come from the construction stand operated by the port, from service and the like.

These examples indicate how great the variation is between ports that are striving to give revenue enough to meet operating expenses and perhaps secure a dividend to retire bond issues. Some ports have not yet made any definite plans for meeting revenue. In Montgomery, Ala., a somewhat novel system is being tried out. The city has purchased 1,525 acres of land. Of this 900 acres are to be used for the airport. The remaining 625 acres, which are on three sides of the port, are to be developed into a public golf course. It is assumed that though the golf course brings so direct revenue to the city, the fact that it is becoming convenient for citizens to have public golf courses and that so many people will use this course will lead to make the taxpayers willing to stand the cost of development of the site on a whole. At any time the land is needed for airport purposes it will be available. For the operation of the port there is a million-dollar corporation financed with private capital, but with city officials on the board of directors so that policy can be controlled. This is an adaptation of a method now sometimes used to control public utilities.



An aerial view of the New York Airport as it will look when completed. Construction at this port has been going forward at a rapid rate. The straight part is one of the first to erect by Chicago according to a plan. One of about the 1000 New Yorks should yield a revenue.

Showmanship IN SCENIC AIR TOURS

By WILLIS PARKER

WHILE aviation has not reached a point where airplanes, flyers, passengers and other associated accessories and activities have become commonplace, aviation is still valuable in our service with the operation of air service, particularly that dealing with passenger traffic, scenic tours and taxi service. Human nature loves the spectacular, and human nature can be satisfied.

Illustrative of showmanship and its probability as a selling factor, consider the experience of Pike's Peak Air Commerce, Inc., Colorado Springs, Colo., which offers scenic tours, taxi service, a flying school.

Perhaps the characteristics of business in the Pike's Peak region account partly for the methods used, since the community is a summer resort and the prosperity of its citizens depends largely upon the quality of the entertainment offered tourists and the tourist's enthusiasm for it. The visitors expect showmanship, and are not adverse to hearing the selling talk of those conducting scenic tours by automobiles, buses, or on foot. They are thus in a frame of mind to consider favorably the idea of scenic air tours.

Since the opening of the 1929 tourist season, Pike's Peak Air Commerce has made the Alexander Airport, which it owns, the Mecca of thousands of people who visit it every Sunday afternoon to see and hear an aeronautical entertainment program. We say "hear" because music and lectures constitute an important part of the program.

The purpose of these entertainments is to familiarize the public with air travel and air safety. Some aerial acrobatics are provided in order to furnish the thrill that grips the attention of the public. Among these are parachute jumps. These serve to impress upon the spectators the possibility of escaping safely from a disabled airplane if necessary.

A series of loud speakers has been prominently in-

1929—RATE SHEET—1929

Send your rate
inquiries May 15
to September 15.

Reserve date of date.

City Office
1000 Broadway
Colorado Springs, Colo.
Telephone 1000
1000 Broadway
Colorado Springs, Colo.

Phone Main 310

"Colorado's Largest and Most Complete Air Service"

FIELD	INTERVAL	START TIME	END TIME	TIME
TRIP No. ONE SCENIC CIRCLE	10:00 AM 10:15 AM 10:30 AM 10:45 AM 11:00 AM 11:15 AM 11:30 AM 11:45 AM 12:00 PM	10:00 AM 10:15 AM 10:30 AM 10:45 AM 11:00 AM 11:15 AM 11:30 AM 11:45 AM 12:00 PM	10:00 AM 10:15 AM 10:30 AM 10:45 AM 11:00 AM 11:15 AM 11:30 AM 11:45 AM 12:00 PM	10:00 AM 10:15 AM 10:30 AM 10:45 AM 11:00 AM 11:15 AM 11:30 AM 11:45 AM 12:00 PM

These Rates of the Most Fascinating Scenery of the Lower Region of

TRIP No. TWO "GRAND" SCENIC CIRCLE	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM
------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Handed and Fifty Miles of Colorado River

TRIP No. THREE OVER PINKS PEAK	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM	12:15 PM 12:30 PM 12:45 PM 1:00 PM 1:15 PM 1:30 PM 1:45 PM 2:00 PM 2:15 PM 2:30 PM 2:45 PM 3:00 PM 3:15 PM 3:30 PM 3:45 PM 4:00 PM 4:15 PM 4:30 PM 4:45 PM 5:00 PM 5:15 PM 5:30 PM 5:45 PM 6:00 PM 6:15 PM 6:30 PM 6:45 PM 7:00 PM 7:15 PM 7:30 PM 7:45 PM 8:00 PM 8:15 PM 8:30 PM 8:45 PM 9:00 PM 9:15 PM 9:30 PM 9:45 PM 10:00 PM 10:15 PM 10:30 PM 10:45 PM 11:00 PM 11:15 PM 11:30 PM 11:45 PM 12:00 PM
-----------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

This is a

arrived at the field as each a narrow that announcements may be heard by 15,000 people scattered along a railroad. If during a fight over the field, the pilot rather a wing-over, for example the rear of the smokestacks explains part what at being done as how it is done. He also explains the objects of such a maneuver. The spectators are kept quiet and accounts in the air, with the result that they become familiar with aeronautical terms, aviation is less mysterious in their

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

They take of the Most Complete Service of the Local Region

stalled at the field in such a manner that announcements can be heard by 15,000 people scattered along a mile course. If during a flight over the field, the pilot makes a "loop-over," for example, the men at the microphone explain just what is being done and how it is done. He also explains the objects of such a maneuver. The spectators are kept posted on all activities in the air, with the confidence they become familiar with aeronautical terms, aviation is less mysterious to them, and flying is more acceptable. When no announcements are to be made, music is provided. Sometimes special entertainers are employed. For example, two Deputies made valuable entertainers performed recently.

Behind all of this showmanship is the effort to sell what the company has to offer—scenic air tours, taxi service, its aquatic bays, and the flying school.

Of course, of course, must back up the entertainment somewhat analogous to the service offered by automobile companies in the region, which have for a number of years opened highways to interesting scenic points in the region, Pike's Peak Air Commerce offers similar trips, and books them much in the same manner that automobile trips are booked through the travel agencies in various parts of the country.

At this point we might pause to remark that the company has experienced no difficulty in working with automobile transportation lines. It is true that there is some competition, but the motor lines agree that if a tourist wants an air ride, he is going to have it, and likewise if

he wants an automobile trip, he will have that. So well do the two lines of transportation work together that the aviation company has opened offices in the main rooms with the Grey Lines, who operate scenic automobile tours in the region.

Before the tourist season opened, the company prepared rate sheets covering several special air trips from Colorado Springs, and distributed them to more than 1,200 leading agencies in the country. The prospective Colorado Springs visitor may stop into a travel office in Chicago, for example, arrange a tour of the West, including a stop at Colorado Springs, be booked for a trip via the air on one of the three tours offered by the company, and pay for it with the rest of his ticket. When he arrives in Colorado Springs, he takes his flight if weather permits while he is in the community. If weather conditions are not right for flying, his money is refunded while he is still in Colorado Springs, before he continues his railroad journey.

"If the visitor is to stop in Colorado Springs only long enough to take an air flight, we must turn at the time with an automobile, and take him to the field," explained Chase Stuart, vice-president of the company. "He is given an air trip and is delivered by automobile to the

Jay-rising for a thrill is giving way to aerial sight-seeing as the mainstay of many operating companies. Passengers go for the view, not merely to see what flying is like. The plan here described, of having an automatic route indicator to replace the "barber" on a sight-seeing bus, has interesting possibilities for increasing the attraction of the scenic tour.

station where he boards his train and continues his journey. If the visitor is staying a few days at Colorado Springs, we must turn with an automobile at his hotel and return him after the flight. No extra charge is made for this accommodation."

Showmanship is important in conducting the tour, since the visitor must be given information concerning the points of interest at the place is passing over there. However, it is not practical then for to make these announcements verbal, so the company is attempting to have visual announcements on a roll of canvas similar to the rolling continuous on street cars which permits changing the name of the route by the simple turn of a crank. It is planned, according to Mr. Stuart, to have the roll move through the reading aperture by a clock-like arrangement which will be synchronized with the air speed of the plane, and at the place approaches a certain arc point the name of that point, together with a short description of it, will move into the passenger's view.



This drawing of the territory flown over by planes of Pike's Peak Air Commerce, Inc.

Legal Responsibilities

OF CARRIERS OF

GOODS AND BAGGAGE BY AIR

By LEO T. PARKER
Attorney at Law

IT IS WELL KNOWN among law experts that the majority of legal controversies may have been avoided had the parties known the elementary principles of the law.

Obviously, all persons cannot obtain dependable knowledge of all branches of legal procedure, and at the same time prove adept at their own business or profession. However, when it is considered that the average person interested in aviation is subjected to the perils of litigations arising from comparatively few sources, it is easy to realize that acquiring sufficient legal knowledge to successfully avoid the majority of controversies is not difficult.

Obviously another advantage of obtaining reliable legal information as simplified form is knowledge of legal rights. Certainly, a person who understands his legal obligations is less likely to perform acts that will result in liability, when compared with a person who is unfamiliar with the law, or one who relies upon "harmless" information which, in the majority of instances, is quite unobtainable.

The difference between a common carrier and a private carrier is that the former hauls merchandise for any and all persons or transports all persons who apply whereas a private carrier transports goods exclusively for himself or one or two specific persons or firms. The law with respect to the liability of a common carrier applies to any firm or person such as an aviation corporation, an expressman, a railroad, a motor truck transportation company, an express company, a warehouse

company, or any similar firm which transports passengers or merchandise.

At present, the law is well established that a common carrier is practically an insurer of the safe arrival of goods and hand baggage which it accepts for transportation. In fact, the carrier is liable for all loss resulting from its own negligence, and against all other loss or damages, except such as may be caused by the act of God, a public enemy of the United States, the act of the shipper, or the inherent nature of the goods. Moreover, although the damage is due to one of these causes, the carrier still is liable for any damage which may result by its failure to exercise reasonable care to protect the shipment from such loss or damage.

Of course, some distinction is made between the liability of a common carrier of perishable and non-perishable goods. In the recent case of *Philadelphia v. Dillard*, 109 Md. 495, the Court explained the character of liability of a common carrier of perishable goods.

"The ordinary common-law liability of a common carrier, as to most commodities consigned to its custody for transportation, is that of an insurer against all risks incident to the transportation, save such as result from the act of God, or the public enemy, or the fault of the shipper, but with respect to perishable goods, which themselves contain the elements of destruction, assuming their own loss or deterioration, the carrier is not an insurer, but as regarded to exercise reasonable care and diligence to protect the goods from injury while in its custody as well as to deliver them with dispatch to the consignee or consignee carrier."

Obviously, however, an aviation company not specializing in transporting goods or passengers is not subject to the laws regulating common carriers.

For example, an aviation firm operating an airport and engaged in supplying storage space for airplanes, or



Goods and mail stored aboard the plane.

transporting mail, or having contracts to transport goods for one or two firms is not deemed a common carrier and, therefore, is liable only as a private carrier, whose legal duty simply is to exercise ordinary care to safeguard parcels or merchandise being transported.

For instance, a mail carrier, for instance, holds himself out to the public as being willing to transport merchandise for any and all persons, at ready to transport passengers over the regular mail route; it would be governed by legal rules and laws relating to common carriers.

For instance, in a very recent case, *Bonnett v. Bates*, 276 S.W. 347, a higher Court said:

"A common carrier is one who is engaged in the transportation of persons or things from place to place for hire, and who holds himself out to the public as ready and willing to serve the public indifferently, in the particular line in which he is engaged. The real test of whether one is a common carrier is whether he holds himself out to be so, or he is so held on his own terms."

Still another important point of the law is that a private carrier cannot be converted into a common carrier by State laws.

For illustration, in *Purple v. Campbell*, 130 Pa. 213, a State law was enacted which was intended to convert private carriers under the regulations and laws relating to common carriers.

However, it is interesting to observe that the Court

held the law invalid, quoting (46 S. Ct. 625) as follows:

"That, consistently with the due process clause of the Fourteenth Amendment, a private carrier cannot be converted against his will into a common carrier by mere legislative enactment, is a rule not open to doubt, and is not brought into question here. There is involved the power to compel a private carrier to answer against his will the duties and liabilities of a common carrier, the State does not possess."

The rule is well settled that if merchandise or baggage is delivered to a common carrier in good condition and the shipment arrives at its destination in a damaged condition, a *prima facie* case of liability against the carrier exists. In order for the common carrier to avoid liability it is bound to prove that the damages did not arise from its negligence. However, the shipper is owner of the goods until placed in Court that he delivered the goods to the carrier in good condition, and that it was delivered by the carrier in a damaged condition.

It is well established that a common carrier may limit its liability for damage to goods caused by its negligence, only where the contract is based upon a reduced rate (114 So. 680).

However, a carrier is not relieved of liability for damages to goods or hand baggage as a result of its negligence, where the reduction simply leaves the amount collectible and the rate is not reduced.

For instance in *Kilburn v. International*, 137 N. E. 267, a Court said:

"The rule is well established that a common carrier may limit its liability for damages caused even by its own negligence, if the parties agree that recovery shall be limited to an agreed valuation which fixes the loss of the charges paid by the carrier, or where business is the consideration for other benefit to the shipper."

Thus the agreement that liability shall not exceed the invoice value of the goods did not result in a reduction of damages to the shipper. Limitation imposed without choice of rates between limited and unlimited liability is not valid.

Here the effect of the valuation clause is solely to limit liability. If market value at place of destination should prove less than the invoice value the shipper could not under its terms recover larger damages. It provides no new measure of damages of which either party may obtain the benefit, it merely the usual measure of damages unaffected except that the damages so measured may not exceed the invoice value or its proportionate part in case of partial loss or damage."

The most recent higher Court case involving this subject is *Coss Co. v. Australian Ry. Express Co.*, 277 Pac. 333, decided during the past few weeks.

In this case it was disclosed that a shipper of merchandise via express, signed a "uniform express receipt"



A series of mail routes for shipment of air express post items.

in which he declared the value of the goods as \$50 and which contained the following clause:

"In consideration of the rate charged for carrying said property, which exceeds the value thereof, the carrier is and is held upon an agreed valuation of not exceeding fifty dollars . . . unless a greater value is declared at the time of shipment, the shipper agrees that the company shall not be liable in any event for more than fifty dollars for any shipment. . . . Unless a greater value is declared and stated herein the shipper agrees that the value of the shipment is as last above set out and that the liability of the company shall in no event exceed such value."

The carrier failed to make delivery of the goods and the consignee sued the carrier for \$50 damages which he sustained as a result of not receiving the shipment.

The carrier contended that its liability should not exceed \$50, because it had based its rate for transportation upon the reduced valuation. The consignee argued that since he had not signed the receipt, he was not bound by its terms and, therefore, was entitled to collect full damages.

However, it is interesting to observe that the Court held the consignee bound by the reduced valuation agreement signed by the consignee, and held the carrier liable for only \$50 damages, saying:

"The sole question for consideration is whether the receipt or bill of lading issued by the express company and signed by the consignee determines the extent of liability for failure to deliver. . . . When a shipper delivers a package for shipment and declares a value, either upon receipt or voluntarily, and the carrier issues a receipt accordingly, the shipper is estopped upon plain principles of justice from recovering, in case of loss or damage, any greater amount."

On the other hand, various higher Courts here held that where a passenger accepts a check, having printed thereon a notification that the carrier's liability for loss of baggage is reduced and the later's employees fail to direct the passenger's attention to the notice, such passenger is not bound by the printed notification. (108 So. 414.)

However, a contract is valid by which the passenger signs an agreement that his baggage is being transported with the understanding that should it be lost or damaged the carrier's liability shall not exceed a stipulated amount, unless the passenger signs an acknowledgment to increase the risk assumed by the carrier.

It is well to remember that an airline company's liability automatically is changed after the owner receives notification that the transportation or baggage, transported by the common carrier's laws, is ready for delivery and the owner fails to promptly accept the shipment.

In other words, after an owner has been notified by the common carrier to call for the shipment, or the owner knows his baggage has arrived at its destination, the carrier is liable for loss or injury to the ware, only where the damage is occasioned by want of ordinary care on the part of its employees.

For example, a common carrier that stores merchandise as baggage in its warehouse is not liable for the loss or injury to the shipment caused by fire, theft, flood, or other causes, unless it is proved conclusively that the loss resulted by failure of the carrier to employ a competent watchman or efficient equipment, or experienced employees, or performed or failed to perform some other act which negligently caused the loss.

Generally, a common carrier's liability as an insurer remains unaffected by an act on the part of the owner's

employees by which the owner of the baggage is deceived. For example, as a leading case it was shown that a person purchased a ticket and checked his baggage for transportation. At this time he was told by the carrier's agent that the vehicle in which he intended to ride would leave in 30 min. Thereupon, the individual left the port and upon his return 35 min. later he found that the vehicle had departed! His baggage, however, went forward and was damaged by the carrier as its baggage which burned the next night, and the baggage was destroyed by the fire.

This Court, in holding the carrier liable, explained that a common carrier's liability, as an insurer for the baggage of a passenger, continues until the passenger has been given a reasonable opportunity to the exercise of diligence to remove it. This Court also said that after a reasonable time and opportunity has been afforded the passenger to accept delivery of his baggage, the liability of the carrier is reduced to that of "ordinary care."

THE EXACT MEANING of the term "ordinary care" has been the chief discussion of numerous litigants. For instance, assuming that an airline firm occasionally transports passengers and, therefore, is a legal proper carrier, because it does not hold itself out to the public as being ready and willing to transport all persons who apply for transportation, this carrier is liable in damages for injury to the passenger, or loss of his baggage, only when it is proved that the negligence of the carrier due the injury resulted from lack of ordinary care on the part of the airline firm's employees.

Just what the term "ordinary care" means depends upon the particular circumstances of the case. There is no certain rule applicable in deciding all of the various circumstances, because the particular conditions and circumstances surrounding each litigation must be carefully considered.

However, a recent higher Court explained that the term "ordinary care" is that degree of care which would have been exercised by a reasonably prudent and careful person under the same circumstances of which a passenger is injured or as article is lost, stolen or damaged. Considerable care has been taken to prevent common carriers from placing upon receipts signed by the owners of the baggage, that the carrier's liability shall be decreased to that of "ordinary care" after the transported merchandise or baggage has assumed to the carrier's transportal of care. Thus the common carrier's usual liability is automatically limited to that of a private carrier.

It has been held that the term "negligence" includes all wronging, apparent and other accidents of the traveler. For instance, where a jewelry salesman checked a case containing valuable jewelry, the Court held the carrier not liable for its loss because it was not legal "baggage."

In another case where a passenger carried in his pocket a watch and checked a bag containing another watch, he was not entitled to recover the value of the watch in his lost bag because only one watch is considered a necessary part of a traveler's apparel.

The same law is applicable with respect to merchandise belonging to another person, which is treasured as his own baggage. For example, as a leading case (239 Pa. 265) a higher Court held that where a passenger checks the property of another person and the same is stolen by a common carrier as baggage, the latter is liable to the actual owner only for the actual value as shown by a great number of legal cases. That is true because a visitor owes no duty to the owner of baggage who is not a passenger.

THE Western AIRCRAFT SHOW

California Air Tour and All-Western Airport Conference
To be Held in Conjunction with Exposition

By CHARLES F. MCREYNOLDS
Poughkeepsie Editor of Aviation

CHAS. McREYNOLDS,
managing director
of the Western
Aircraft Show



SEVERAL FACTORS have combined to lend more than usual interest to the staging of the 1959 Western Aircraft Show at Los Angeles, from November 9 to 17 inclusive. Unlike previous seasons shows sponsored by the Aeronautical Chamber of Commerce, the Western Aircraft Show has been underwritten by that body and is being staged by the Aeronautical Expositions Corporation, under the direction of Cliff W. Henderson, and with the support of the local organization, the California Aircraft Exposition Association, a representative, non-profit group of California aeronautical expositors. Because this is the first sectional show to be actively managed by representatives of the Aeronautical Chamber of Commerce, every effort is being made to stage a show which will prove profitable to both exhibitors and sponsors. By combining such a premiere show with the most recently announced plan of having all future sectional shows underwritten and managed by the Aeronautical Expositions Corp. branch of the Aeronautical Chamber of Commerce of America.

Another important aspect to the present Western Aircraft Show is that it comes at a time when a condition of overproduction is prevalent in the industry and a real sales campaign is needed to dispose of surplus stocks of aircraft. While flying operations are being curtailed in the east, the west presents an all-year flying territory with the probability of a mid-winter show producing all-year sales.

Aside from the present condition of overproduction it will be profitable for the industry to develop a strong winter season which can be relied on year after year to reduce the seasonal sales slump.

From the local viewpoint interest in the Western Aircraft Show has been increased by a desire to place this one yearly all-winter show in the Southern California territory permanently and it is felt that a marked success this year will result in an annual winter show here just as the big annual spring show is presently held in Detroit. Los Angeles area and associated bodies are working to establish this show as a yearly "Southern California"

event, rather than having it gratuitous to other western or southern centers of interest.

Again from the local angle, Los Angeles interests see in the present condition of the industry an opportunity to see the results of this territory to manufacturers and yet permanently established. It is felt that after another six months the industry will have crystallized and any national advances hoped for must be made before that time.

For all of the above reasons the Western Aircraft Show has earned up interest far beyond the ordinary sectional event. The industry sees here an opportunity to sell an unexpected surplus in what is considered to be the world's most fertile aircraft market, and western civic interests recognize an opportunity to sell sectional advantages in a vital field industry. The result is a great sales campaign which is far more than just an annual show. In addition to the Western Aircraft Show, Nov. 9 to 17, there is being held the California Air Tour, Nov. 4 to 7 inclusive, the All-Western Airport Conference, Nov. 2-6, and Air Week, Nov. 9 to 17, held in conjunction with the show and scheduled to generate wide public interest in aeronautics generally.

Fortunately for this program the Los Angeles Junior Chamber of Commerce, as a signatory of approximately 1,000 of the younger business men of the city, has declared the major effort of the entire organization for the year 1959 to be the promotion of Los Angeles aviation development. As a result the California Air Tour and Air Week were both suggested and are being sponsored by that body and the great burden of publicity work in connection with the show itself is being handled by this group.

WESTERN 30 extends had two weeks before the start of the tour the entry list has been limited to 60 planes and there is little doubt of the success of the California Air Tour. Fifty machines are already entered representing nearly 80 makes. The Travel Air leads with eight entries. So far as the show is concerned the tour's chief

AIRPORTS AND AIRLINES



Aerial Express Announces Plans

LOS ANGELES (U.S.)—Incorporation of the Aerial Express Corporation, Los Angeles, Calif., is under way. The firm is the first air transport to be based in the Los Angeles area. The company is the largest of freight and passenger airlines in the world, according to the company. According to present plans, a fleet of seven F4U-7s will be used to transport cargo. The company is also planning to add a fleet of seven F4U-7s to its fleet of seven F4U-7s. The company is also planning to add a fleet of seven F4U-7s to its fleet of seven F4U-7s.

Air Mail Rate Case

Remains at Standstill

WASHINGTON (U.S.)—No action on the air mail contract extension case, which was scheduled to be heard by the Federal Aviation Commission, was taken by the Federal Aviation Commission. The case was scheduled to be heard by the Federal Aviation Commission. The case was scheduled to be heard by the Federal Aviation Commission.

Navy Includes Photos With New Strip Maps

WASHINGTON (U.S.)—Photographs of airports will be included in new charts of the United States. The charts will be included in new charts of the United States. The charts will be included in new charts of the United States.

Being charts for the territory between New York and Boston, and Boston and Chicago, Ill., will be made by New York. The first chart is expected to be made within the next few months. The first chart is expected to be made within the next few months. The first chart is expected to be made within the next few months.

Gettysburg Meet Dues \$60,000

GETTYSBURG (Pa.)—Major General J. Edgar Hoover, director of the Army Air Corps, was the guest of honor at the annual meeting of the Gettysburg Air Corps. The meeting was held at the Gettysburg Air Corps. The meeting was held at the Gettysburg Air Corps.

More to New Denver Post

DENVER (Colo.)—Western Air Express operating the Denver-Denver route is the first air transport to be based in the Denver area. The company is the largest of freight and passenger airlines in the world, according to the company. The company is the largest of freight and passenger airlines in the world, according to the company.

Air Mail Rate Case Remains at Standstill

WASHINGTON (U.S.)—No action on the air mail contract extension case, which was scheduled to be heard by the Federal Aviation Commission, was taken by the Federal Aviation Commission. The case was scheduled to be heard by the Federal Aviation Commission.

A proposal for the carrying of passengers and cargo by air mail is being considered by the Federal Aviation Commission. The proposal is being considered by the Federal Aviation Commission. The proposal is being considered by the Federal Aviation Commission.

Being charts for the territory between New York and Boston, and Boston and Chicago, Ill., will be made by New York. The first chart is expected to be made within the next few months. The first chart is expected to be made within the next few months. The first chart is expected to be made within the next few months.

Colonial Order Not Warned

NEW YORK (U.S.)—Colonial Air Transport, Inc., has ordered the removal of its aircraft from the New York area. The company is the largest of freight and passenger airlines in the world, according to the company. The company is the largest of freight and passenger airlines in the world, according to the company.

Even 17 St. Louis Air Markers

ST. LOUIS (Mo.)—Seventeen air markers were placed in the St. Louis area. The markers were placed in the St. Louis area. The markers were placed in the St. Louis area.

AVIATION November 9, 1979

To Open United Airport on Dec. 1

RIJAHANG (U.S.)—With operations of the Pacific Air Transport and planes to be based on the new United Airport, the airport is scheduled to be opened on December 1. The airport is scheduled to be opened on December 1.

A proposal for the carrying of passengers and cargo by air mail is being considered by the Federal Aviation Commission. The proposal is being considered by the Federal Aviation Commission. The proposal is being considered by the Federal Aviation Commission.

Being charts for the territory between New York and Boston, and Boston and Chicago, Ill., will be made by New York. The first chart is expected to be made within the next few months. The first chart is expected to be made within the next few months. The first chart is expected to be made within the next few months.

Madden, Spectator on Passengers

LOS ANGELES (U.S.)—Passenger movement will be the focus of the new airport. The new airport is scheduled to be opened on December 1. The new airport is scheduled to be opened on December 1.

Goodell Taken Over New Field

KANSAS CITY (Mo.)—The Air Goodell Field School has been moved to the new field. The school is scheduled to be opened on December 1. The school is scheduled to be opened on December 1.

Los Angeles Municipal Airport Adopts Spanish Style

LOS ANGELES (Calif.)—The new Los Angeles Municipal Airport is scheduled to be opened on December 1. The new airport is scheduled to be opened on December 1.

Baltimore-N.Y. Service Starts

BALTIMORE (Md.)—Passenger and freight service between Baltimore and New York City is scheduled to begin on December 1. The service is scheduled to begin on December 1.

Assurance Carries Plans For San Mateo

SAN MATEO (Calif.)—Details of the new San Mateo Airport and Flying School are being planned. The school is scheduled to be opened on December 1. The school is scheduled to be opened on December 1.

Goodell Taken Over New Field

KANSAS CITY (Mo.)—The Air Goodell Field School has been moved to the new field. The school is scheduled to be opened on December 1. The school is scheduled to be opened on December 1.

Los Angeles Municipal Airport Adopts Spanish Style

LOS ANGELES (Calif.)—The new Los Angeles Municipal Airport is scheduled to be opened on December 1. The new airport is scheduled to be opened on December 1.

N.Y. & Rio Get City Connection

WASHINGTON (U.S.)—The United States government has granted a connection to the New York, Rio & Buenos Aires Line. The connection is scheduled to be opened on December 1.

Air Transport Section Holds First Conference

WASHINGTON (U.S.)—Representatives of the 25 airlines affiliated in the newly formed Air Transport Section of the American Airlines Association held their first conference. The conference was held in Washington, D.C.

Assurance Carries Plans For San Mateo

SAN MATEO (Calif.)—Details of the new San Mateo Airport and Flying School are being planned. The school is scheduled to be opened on December 1. The school is scheduled to be opened on December 1.

Goodell Taken Over New Field

KANSAS CITY (Mo.)—The Air Goodell Field School has been moved to the new field. The school is scheduled to be opened on December 1. The school is scheduled to be opened on December 1.

Los Angeles Municipal Airport Adopts Spanish Style

LOS ANGELES (Calif.)—The new Los Angeles Municipal Airport is scheduled to be opened on December 1. The new airport is scheduled to be opened on December 1.

N.Y. & Rio Get City Connection

WASHINGTON (U.S.)—The United States government has granted a connection to the New York, Rio & Buenos Aires Line. The connection is scheduled to be opened on December 1.

Long Range Flights Considered in Europe

LONDON (Continued)—Following the successful flight of Comet and Bellanca, long range aircraft and distance records have been attracted more than usual attention. It has been announced in Paris that six design departments of several aircraft firms are preparing long range planes to surpass the record recently made by Comet, and it has been reported in London that the Puma aeroplane, which made the 10,000-mile London-Khartoum flight in April, is being prepared for another attempt to set a distance record.

The French plane are being developed in secrecy, but a few details of at least one machine have been learned. This machine is to be a new quad-engine monoplane, designed by the well known engineer, M. Delaunay, who has prepared several similar types. The wing is placed low down on the fuselage and has a tapered planform. It is of dihedral construction. It has a span of 50 ft. 8 in., a wing area of 215 sq. ft. and weighs empty about 6,500 lb. Its fuel tank is placed at 12,500 ft. and holds about 125 cu. yd. It is expected that the machine will have a range of more than 6,000 mi. in still air. As compared to present planes, it should be ready in April and a distance attempt planned for next summer.

Puma Machine Described

Some of the characteristics of long range machines in general and of the Puma machine in particular were described recently in a lecture by C. R. Jetties, the designer and builder, in which he included the refinery as well as commercial desirability of long range machines. This Puma machine, he said, was designed for a range of 5,000 mi. A great deal of weight was placed on the ground that the increased weight imposed by the water-cooled engine was the lesser evil in comparison with the frontal resistance of the air cooled type. The monoplane type was chosen because of its adaptability to construction. The customer type was selected because of the three engines providing for the heating of the oil and engine water. One engine was selected because of the low drag involved.

Touching on the mechanical requirements, Mr. Jetties stated that the centrifuge could be located against the fuselage, or in other ways removed from the air stream, the stage of the plane machine could be adjusted by means from 1,000 to 100, and 300 mi. could be lost by the mere addition of air drag dynamism. It has a span of 50 ft. 8 in. and an aspect ratio of 12. The fuel tanks have a capacity of 5,150 gal. The reserve oil tank holds 85 gal. and the reserve water tank 30 gal.

In the flight in Karachi, the machine was loaded with 1,643 gal. of fuel, a total weight of 7,620 lb. The machine took off with a run of 1,125 ft. and in 5 min had reached an altitude of

Import Europe-Madagascar Line PARIS (France)—Two French pilots and a machine left Le Bourget Oct. 17 in a Private 200 monoplane for a 10,000-mile flight over the air line to Madagascar, which is being developed jointly with Belgium. The itinerary was to follow: Lyons, Calcutta, Bombay, Ceylon, Galle, Madras, Pondicherry, Port Louis, Port Arthur, Durban, Cape Town, Johannesburg, Harare, Freetown, London, Paris, Rome, Athens, Thessalonica, Marseilles, across the Mediterranean Channel, to Algiers and Tunis, the capital of Madagascar.

Buildings Used as Planes

LOS ANGELES (Plane)—The Buena Vista Hotel in this city, with houses of all types in this city, has been converted into planes used to transport supplies to and from the property on the eastern slope of the California Coast Mountains, Hollywood South America. Plans for establishment of the air transport service are by the Buena Vista Hotel, 3100 and 3101, and 3102, and 3103, and 3104, and 3105, and 3106, and 3107, and 3108, and 3109, and 3110, and 3111, and 3112, and 3113, and 3114, and 3115, and 3116, and 3117, and 3118, and 3119, and 3120, and 3121, and 3122, and 3123, and 3124, and 3125, and 3126, and 3127, and 3128, and 3129, and 3130, and 3131, and 3132, and 3133, and 3134, and 3135, and 3136, and 3137, and 3138, and 3139, and 3140, and 3141, and 3142, and 3143, and 3144, and 3145, and 3146, and 3147, and 3148, and 3149, and 3150, and 3151, and 3152, and 3153, and 3154, and 3155, and 3156, and 3157, and 3158, and 3159, and 3160, and 3161, and 3162, and 3163, and 3164, and 3165, and 3166, and 3167, and 3168, and 3169, and 3170, and 3171, and 3172, and 3173, and 3174, and 3175, and 3176, and 3177, and 3178, and 3179, and 3180, and 3181, and 3182, and 3183, and 3184, and 3185, and 3186, and 3187, and 3188, and 3189, and 3190, and 3191, and 3192, and 3193, and 3194, and 3195, and 3196, and 3197, and 3198, and 3199, and 3200, and 3201, and 3202, and 3203, and 3204, and 3205, and 3206, and 3207, and 3208, and 3209, and 3210, and 3211, and 3212, and 3213, and 3214, and 3215, and 3216, and 3217, and 3218, and 3219, and 3220, and 3221, and 3222, and 3223, and 3224, and 3225, and 3226, and 3227, and 3228, and 3229, and 3230, and 3231, and 3232, and 3233, and 3234, and 3235, and 3236, and 3237, and 3238, and 3239, and 3240, and 3241, and 3242, and 3243, and 3244, and 3245, and 3246, and 3247, and 3248, and 3249, and 3250, and 3251, and 3252, and 3253, and 3254, and 3255, and 3256, and 3257, and 3258, and 3259, and 3260, and 3261, and 3262, and 3263, and 3264, and 3265, and 3266, and 3267, and 3268, and 3269, and 3270, and 3271, and 3272, and 3273, and 3274, and 3275, and 3276, and 3277, and 3278, and 3279, and 3280, and 3281, and 3282, and 3283, and 3284, and 3285, and 3286, and 3287, and 3288, and 3289, and 3290, and 3291, and 3292, and 3293, and 3294, and 3295, and 3296, and 3297, and 3298, and 3299, and 3300, and 3301, and 3302, and 3303, and 3304, and 3305, and 3306, and 3307, and 3308, and 3309, and 3310, and 3311, and 3312, and 3313, and 3314, and 3315, and 3316, and 3317, and 3318, and 3319, and 3320, and 3321, and 3322, and 3323, and 3324, and 3325, and 3326, and 3327, and 3328, and 3329, and 3330, and 3331, and 3332, and 3333, and 3334, and 3335, and 3336, and 3337, and 3338, and 3339, and 3340, and 3341, and 3342, and 3343, and 3344, and 3345, and 3346, and 3347, and 3348, and 3349, and 3350, and 3351, and 3352, and 3353, and 3354, and 3355, and 3356, and 3357, and 3358, and 3359, and 3360, and 3361, and 3362, and 3363, and 3364, and 3365, and 3366, and 3367, and 3368, and 3369, and 3370, and 3371, and 3372, and 3373, and 3374, and 3375, and 3376, and 3377, and 3378, and 3379, and 3380, and 3381, and 3382, and 3383, and 3384, and 3385, and 3386, and 3387, and 3388, and 3389, and 3390, and 3391, and 3392, and 3393, and 3394, and 3395, and 3396, and 3397, and 3398, and 3399, and 3400, and 3401, and 3402, and 3403, and 3404, and 3405, and 3406, and 3407, and 3408, and 3409, and 3410, and 3411, and 3412, and 3413, and 3414, and 3415, and 3416, and 3417, and 3418, and 3419, and 3420, and 3421, and 3422, and 3423, and 3424, and 3425, and 3426, and 3427, and 3428, and 3429, and 3430, and 3431, and 3432, and 3433, and 3434, and 3435, and 3436, and 3437, and 3438, and 3439, and 3440, and 3441, and 3442, and 3443, and 3444, and 3445, and 3446, and 3447, and 3448, and 3449, and 3450, and 3451, and 3452, and 3453, and 3454, and 3455, and 3456, and 3457, and 3458, and 3459, and 3460, and 3461, and 3462, and 3463, and 3464, and 3465, and 3466, and 3467, and 3468, and 3469, and 3470, and 3471, and 3472, and 3473, and 3474, and 3475, and 3476, and 3477, and 3478, and 3479, and 3480, and 3481, and 3482, and 3483, and 3484, and 3485, and 3486, and 3487, and 3488, and 3489, and 3490, and 3491, and 3492, and 3493, and 3494, and 3495, and 3496, and 3497, and 3498, and 3499, and 3500, and 3501, and 3502, and 3503, and 3504, and 3505, and 3506, and 3507, and 3508, and 3509, and 3510, and 3511, and 3512, and 3513, and 3514, and 3515, and 3516, and 3517, and 3518, and 3519, and 3520, and 3521, and 3522, and 3523, and 3524, and 3525, and 3526, and 3527, and 3528, and 3529, and 3530, and 3531, and 3532, and 3533, and 3534, and 3535, and 3536, and 3537, and 3538, and 3539, and 3540, and 3541, and 3542, and 3543, and 3544, and 3545, and 3546, and 3547, and 3548, and 3549, and 3550, and 3551, and 3552, and 3553, and 3554, and 3555, and 3556, and 3557, and 3558, and 3559, and 3560, and 3561, and 3562, and 3563, and 3564, and 3565, and 3566, and 3567, and 3568, and 3569, and 3570, and 3571, and 3572, and 3573, and 3574, and 3575, and 3576, and 3577, and 3578, and 3579, and 3580, and 3581, and 3582, and 3583, and 3584, and 3585, and 3586, and 3587, and 3588, and 3589, and 3590, and 3591, and 3592, and 3593, and 3594, and 3595, and 3596, and 3597, and 3598, and 3599, and 3600, and 3601, and 3602, and 3603, and 3604, and 3605, and 3606, and 3607, and 3608, and 3609, and 3610, and 3611, and 3612, and 3613, and 3614, and 3615, and 3616, and 3617, and 3618, and 3619, and 3620, and 3621, and 3622, and 3623, and 3624, and 3625, and 3626, and 3627, and 3628, and 3629, and 3630, and 3631, and 3632, and 3633, and 3634, and 3635, and 3636, and 3637, and 3638, and 3639, and 3640, and 3641, and 3642, and 3643, and 3644, and 3645, and 3646, and 3647, and 3648, and 3649, and 3650, and 3651, and 3652, and 3653, and 3654, and 3655, and 3656, and 3657, and 3658, and 3659, and 3660, and 3661, and 3662, and 3663, and 3664, and 3665, and 3666, and 3667, and 3668, and 3669, and 3670, and 3671, and 3672, and 3673, and 3674, and 3675, and 3676, and 3677, and 3678, and 3679, and 3680, and 3681, and 3682, and 3683, and 3684, and 3685, and 3686, and 3687, and 3688, and 3689, and 3690, and 3691, and 3692, and 3693, and 3694, and 3695, and 3696, and 3697, and 3698, and 3699, and 3700, and 3701, and 3702, and 3703, and 3704, and 3705, and 3706, and 3707, and 3708, and 3709, and 3710, and 3711, and 3712, and 3713, and 3714, and 3715, and 3716, and 3717, and 3718, and 3719, and 3720, and 3721, and 3722, and 3723, and 3724, and 3725, and 3726, and 3727, and 3728, and 3729, and 3730, and 3731, and 3732, and 3733, and 3734, and 3735, and 3736, and 3737, and 3738, and 3739, and 3740, and 3741, and 3742, and 3743, and 3744, and 3745, and 3746, and 3747, and 3748, and 3749, and 3750, and 3751, and 3752, and 3753, and 3754, and 3755, and 3756, and 3757, and 3758, and 3759, and 3760, and 3761, and 3762, and 3763, and 3764, and 3765, and 3766, and 3767, and 3768, and 3769, and 3770, and 3771, and 3772, and 3773, and 3774, and 3775, and 3776, and 3777, and 3778, and 3779, and 3780, and 3781, and 3782, and 3783, and 3784, and 3785, and 3786, and 3787, and 3788, and 3789, and 3790, and 3791, and 3792, and 3793, and 3794, and 3795, and 3796, and 3797, and 3798, and 3799, and 3800, and 3801, and 3802, and 3803, and 3804, and 3805, and 3806, and 3807, and 3808, and 3809, and 3810, and 3811, and 3812, and 3813, and 3814, and 3815, and 3816, and 3817, and 3818, and 3819, and 3820, and 3821, and 3822, and 3823, and 3824, and 3825, and 3826, and 3827, and 3828, and 3829, and 3830, and 3831, and 3832, and 3833, and 3834, and 3835, and 3836, and 3837, and 3838, and 3839, and 3840, and 3841, and 3842, and 3843, and 3844, and 3845, and 3846, and 3847, and 3848, and 3849, and 3850, and 3851, and 3852, and 3853, and 3854, and 3855, and 3856, and 3857, and 3858, and 3859, and 3860, and 3861, and 3862, and 3863, and 3864, and 3865, and 3866, and 3867, and 3868, and 3869, and 3870, and 3871, and 3872, and 3873, and 3874, and 3875, and 3876, and 3877, and 3878, and 3879, and 3880, and 3881, and 3882, and 3883, and 3884, and 3885, and 3886, and 3887, and 3888, and 3889, and 3890, and 3891, and 3892, and 3893, and 3894, and 3895, and 3896, and 3897, and 3898, and 3899, and 3900, and 3901, and 3902, and 3903, and 3904, and 3905, and 3906, and 3907, and 3908, and 3909, and 3910, and 3911, and 3912, and 3913, and 3914, and 3915, and 3916, and 3917, and 3918, and 3919, and 3920, and 3921, and 3922, and 3923, and 3924, and 3925, and 3926, and 3927, and 3928, and 3929, and 3930, and 3931, and 3932, and 3933, and 3934, and 3935, and 3936, and 3937, and 3938, and 3939, and 3940, and 3941, and 3942, and 3943, and 3944, and 3945, and 3946, and 3947, and 3948, and 3949, and 3950, and 3951, and 3952, and 3953, and 3954, and 3955, and 3956, and 3957, and 3958, and 3959, and 3960, and 3961, and 3962, and 3963, and 3964, and 3965, and 3966, and 3967, and 3968, and 3969, and 3970, and 3971, and 3972, and 3973, and 3974, and 3975, and 3976, and 3977, and 3978, and 3979, and 3980, and 3981, and 3982, and 3983, and 3984, and 3985, and 3986, and 3987, and 3988, and 3989, and 3990, and 3991, and 3992, and 3993, and 3994, and 3995, and 3996, and 3997, and 3998, and 3999, and 4000, and 4001, and 4002, and 4003, and 4004, and 4005, and 4006, and 4007, and 4008, and 4009, and 4010, and 4011, and 4012, and 4013, and 4014, and 4015, and 4016, and 4017, and 4018, and 4019, and 4020, and 4021, and 4022, and 4023, and 4024, and 4025, and 4026, and 4027, and 4028, and 4029, and 4030, and 4031, and 4032, and 4033, and 4034, and 4035, and 4036, and 4037, and 4038, and 4039, and 4040, and 4041, and 4042, and 4043, and 4044, and 4045, and 4046, and 4047, and 4048, and 4049, and 4050, and 4051, and 4052, and 4053, and 4054, and 4055, and 4056, and 4057, and 4058, and 4059, and 4060, and 4061, and 4062, and 4063, and 4064, and 4065, and 4066, and 4067, and 4068, and 4069, and 4070, and 4071, and 4072, and 4073, and 4074, and 4075, and 4076, and 4077, and 4078, and 4079, and 4080, and 4081, and 4082, and 4083, and 4084, and 4085, and 4086, and 4087, and 4088, and 4089, and 4090, and 4091, and 4092, and 4093, and 4094, and 4095, and 4096, and 4097, and 4098, and 4099, and 4100, and 4101, and 4102, and 4103, and 4104, and 4105, and 4106, and 4107, and 4108, and 4109, and 4110, and 4111, and 4112, and 4113, and 4114, and 4115, and 4116, and 4117, and 4118, and 4119, and 4120, and 4121, and 4122, and 4123, and 4124, and 4125, and 4126, and 4127, and 4128, and 4129, and 4130, and 4131, and 4132, and 4133, and 4134, and 4135, and 4136, and 4137, and 4138, and 4139, and 4140, and 4141, and 4142, and 4143, and 4144, and 4145, and 4146, and 4147, and 4148, and 4149, and 4150, and 4151, and 4152, and 4153, and 4154, and 4155, and 4156, and 4157, and 4158, and 4159, and 4160, and 4161, and 4162, and 4163, and 4164, and 4165, and 4166, and 4167, and 4168, and 4169, and 4170, and 4171, and 4172, and 4173, and 4174, and 4175, and 4176, and 4177, and 4178, and 4179, and 4180, and 4181, and 4182, and 4183, and 4184, and 4185, and 4186, and 4187, and 4188, and 4189, and 4190, and 4191, and 4192, and 4193, and 4194, and 4195, and 4196, and 4197, and 4198, and 4199, and 4200, and 4201, and 4202, and 4203, and 4204, and 4205, and 4206, and 4207, and 4208, and 4209, and 4210, and 4211, and 4212, and 4213, and 4214, and 4215, and 4216, and 4217, and 4218, and 4219, and 4220, and 4221, and 4222, and 4223, and 4224, and 4225, and 4226, and 4227, and 4228, and 4229, and 4230, and 4231, and 4232, and 4233, and 4234, and 4235, and 4236, and 4237, and 4238, and 4239, and 4240, and 4241, and 4242, and 4243, and 4244, and 4245, and 4246, and 4247, and 4248, and 4249, and 4250, and 4251, and 4252, and 4253, and 4254, and 4255, and 4256, and 4257, and 4258, and 4259, and 4260, and 4261, and 4262, and 4263, and 4264, and 4265, and 4266, and 4267, and 4268, and 4269, and 4270, and 4271, and 4272, and 4273, and 4274, and 4275, and 4276, and 4277, and 4278, and 4279, and 4280, and 4281, and 4282, and 4283, and 4284, and 4285, and 4286, and 4287, and 4288, and 4289, and 4290, and 4291, and 4292, and 4293, and 4294, and 4295, and 4296, and 4297, and 4298, and 4299, and 4300, and 4301, and 4302, and 4303, and 4304, and 4305, and 4306, and 4307, and 4308, and 4309, and 4310, and 4311, and 4312, and 4313, and 4314, and 4315, and 4316, and 4317, and 4318, and 4319, and 4320, and 4321, and 4322, and 4323, and 4324, and 4325, and 4326, and 4327, and 4328, and 4329, and 4330, and 4331, and 4332, and 4333, and 4334, and 4335, and 4336, and 4337, and 4338, and 4339, and 4340, and 4341, and 4342, and 4343, and 4344, and 4345, and 4346, and 4347, and 4348, and 4349, and 4350, and 4351, and 4352, and 4353, and 4354, and 4355, and 4356, and 4357, and 4358, and 4359, and 4360, and 4361, and 4362, and 4363, and 4364, and 4365, and 4366, and 4367, and 4368, and 4369, and 4370, and 4371, and 4372, and 4373, and 4374, and 4375, and 4376, and 4377, and 4378, and 4379, and 4380, and 4381, and 4382, and 4383, and 4384, and 4385, and 4386, and 4387, and 4388, and 4389, and 4390, and 4391, and 4392, and 4393, and 4394, and 4395, and 4396, and 4397, and 4398, and 4399, and 4400, and 4401, and 4402, and 4403, and 4404, and 4405, and 4406, and 4407, and 4408, and 4409, and 4410, and 4411, and 4412, and 4413, and 4414, and 4415, and 4416, and 4417, and 4418, and 4419, and 4420, and 4421, and 4422, and 4423, and 4424, and 4425, and 4426, and 4427, and 4428, and 4429, and 4430, and 4431, and 4432, and 4433, and 4434, and 4435, and 4436, and 4437, and 4438, and 4439, and 4440, and 4441, and 4442, and 4443, and 4444, and 4445, and 4446, and 4447, and 4448, and 4449, and 4450, and 4451, and 4452, and 4453, and 4454, and 4455, and 4456, and 4457, and 4458, and 4459, and 4460, and 4461, and 4462, and 4463, and 4464, and 4465, and 4466, and 4467, and 4468, and 4469, and 4470, and 4471, and 4472, and 4473, and 4474, and 4475, and 4476, and 4477, and 4478, and 4479, and 4480, and 4481, and 4482, and 4483, and 4484, and 4485, and 4486, and 4487, and 4488, and 4489, and 4490, and 4491, and 4492, and 4493, and 4494, and 4495, and 4496, and 4497, and 4498, and 4499, and 4500, and 4501, and 4502, and 4503, and 4504, and 4505, and 4506, and 4507, and 4508, and 4509, and 4510, and 4511, and 4512, and 4513, and 4514, and 4515, and 4516, and 4517, and 4518, and 4519, and 4520, and 4521, and 4522, and 4523, and 4524, and 4525, and 4526, and 4527, and 4528, and 4529, and 4530, and 4531, and 4532, and 4533, and 4534, and 4535, and 4536, and 4537, and 4538, and 4539, and 4540, and 4541, and 4542, and 4543, and 4544, and 4545, and 4546, and 4547, and 4548, and 4549, and 4550, and 4551, and 4552, and 4553, and 4554, and 4555, and 4556, and 4557, and 4558, and 4559, and 4560, and 4561, and 4562, and 4563, and 4564, and 4565, and 4566, and 4567, and 4568, and 4569, and 4570, and 4571, and 4572, and 4573, and 4574, and 4575, and 4576, and 4577, and 4578, and 4579, and 4580, and 4581, and 4582, and 4583, and 4584, and 4585, and 4586, and 4587, and 4588, and 4589, and 4590, and 4591, and 4592, and 4593, and 4594, and 4595, and 4596, and 4597, and 4598, and 4599, and 4600, and 4601, and 4602, and 4603, and 4604, and 4605, and 4606, and 4607, and 4608, and 4609, and 4610, and 4611, and 4612, and 4613, and 4614, and 4615, and 4616, and 4617, and 4618, and 4619, and 4620, and 4621, and 4622, and 4623, and 4624, and 4625, and 4626, and 4627, and 4628, and 4629, and 4630, and 4631, and 4632, and 4633, and 4634, and 4635, and 4636, and 4637, and 4638, and 4639, and 4640, and 4641, and 4642, and 4643, and 4644, and 4645, and 4646, and 4647, and 4648, and 4649, and 4650, and 4651, and 4652, and 4653, and 4654, and 4655, and 4656, and 4657, and 4658, and 4659, and 4660, and 4661, and 4662, and 4663, and 4664, and 4665, and 4666, and 4667, and 4668, and 4669, and 4670, and 4671, and 4672, and 4673, and 4674, and 4675, and 4676, and 4677, and 4678, and 4679, and 4680, and 4681, and 4682, and 4683, and 4684, and 4685, and

will look down, to locate his bearings. It stands to reason the business man who travels by air will do likewise, thus a growing public pressure must be the airline's eye, as a sales market. The development of aerial navigation suggests that before long, the sky pilots will not look downward with the certainty of the previous generation. Black's last watercolor, or Bacon's cotton fabric.

There are airplanes into the future, and in fact Black may say some strange. However, this are the vor-

mal following of present trends. It is a successful fact the future business will look to the sky with the times in this regard. A sales message on the road ahead the eye of the traveler, and is bound to have effect. Every man correct to air travel must a new potential customer. This method of reference will express a senseless as aviation itself grows, and the watercolor will come will be the same who takes the lead in adding his product to this public.

THEYRE WOOD

Abstracts and Reviews

Two Lighting Pamphlets

LOOKING AHEAD IN AIRPORT LIGHTING, by C. E. White, *Published by National Lamp House of General Electric Company, Cleveland, Ohio, Sept. 1958.*

THE DESIGN AND LIGHTING OF AIRPORTS, by L. A. Wood (Shawnee), *Published by Westinghouse Electric Company, Pittsburgh, Pa., Oct. 1959.*

REQUIREMENTS for correct lighting of airports under varying conditions and for various purposes are considered in detail in the pamphlets listed above. Each is written primarily to present recommended types of equipment necessary to meet Department of Commerce minimum requirements for class "A" rating, with further discussion of additional or suggested lighting devices under various conditions.

The paper by Mr. Wood first deals with general considerations for the selection of a site and the separation of an airport, taking up lighting in the second section. Department of Commerce requirements are given in considerable detail, and a single type of light is recommended for each of the areas here listed. However, wind indicators, boundary and obstruction lighting, approach, taxiway floodlights and road markings, and landing area floodlights. Estimated cost of the various items is given with a probable amount of about seven thousand dollars to meet the above requirements, and at about fifteen thousand dollars for the most desirable installation, including four banks of field floodlights. The suitable cost is about under normal conditions at \$20,000; revolving lanterns, \$250; 50 ft. and beyond lanterns, \$300; marker lights for field floodlight, \$2,500; four banks of floodlights, \$10,000; wind indicator, \$500; rotating beacon, \$1,000; exterior lighting lighting, \$15 per fixture.

Mr. Wood presents a somewhat broader analysis of the subject with a view toward future developments rather

than minimum present requirements, and he includes a cross-fertilizing discussion of special problems and research in connection with airport lighting.

Airport boundaries, boundary and obstruction lights, for example, have been developed rather more recently than facilities for floodlighting, so the present ones, partly because research along similar lines has been done for lighthouses and other sorts of aerial-light and partly because the problems encountered are less complicated. Various standard beams with rotating mechanisms and automatic lamp-flicking devices, is particularly all ways may be discussed which will give complete satisfaction for installation at airports, emergency lights, and at markers along highway arteries.

This does not mean, however, that there is no room for improvement, and actual experimental reports are discussed. Particularly interesting are the mid-air-light procedure as used in the Cleveland General Airport, and the design type houses in which the lamp and reflector revolve inside a clear glass dome. Both of these are designed to overcome the disadvantages of a moving necessary disadvantage by decreasing the spread of light, with the result that the beams are not visible at long range unless a plane is directly in the beam's path.

The Bureau of Standards has developed the theory that colored lights have greater visibility, particularly directly in front, than white and accordingly colored lights are not recommended because they are less visible, because for boundary and obstruction lights, especially where dark is light up or off light up near the lights, but in the eye in search of the light.

The better given visible data as to the candle power and design of lights for proper illumination of wind cones than for standard lamp lighting, and for fogging projects. Proper lighting of the exterior of hangars and other structures is important because it provides pilots with perspective for judging distances, as well as for advertising purposes.

The problem of field floodlighting

has extremely not been solved with complete satisfaction in yet, and the author especially recommends that provision for future changes and additions be included in all installations made at present. The greatest difficulty arises from the fact that lights cannot be placed very high above the field, since they would then offer dangerous obstructions to air traffic. As a result, a very high percentage of the light must be in the horizontal rather than the vertical plane, and a blanket of light almost sufficient to obscure the ground may be produced.

Because of the discussion of slight misalignments, grass blades, etc., on one side this disadvantage is much less serious when a landing is made at the direction of the beam of light rather than against it, and it is accordingly recommended that floodlights be mounted at three or four corners of the field to be lighted or left dark according to varying wind conditions. A considerable increase in efficiency may also be secured by the installation of a number of small vertical floodlights at various angles of rotation, so that the one that appears most as direct as possible, so that they would provide no shadows in lighting. The author also gives rules and diagrams concerning the light-refracting characteristics of various reflecting materials, and recommends that the question of floodlighting should be given serious consideration when the reflecting material is chosen. Miscellaneous of dark, surface materials is desirable.

Other problems discussed are airport runways and hangar roof signs, airport building lighting, and airport lighting equipment, both for landing and for the interior of main buildings. The booklet is concluded with a table showing the proper kinds, lamp, and in different forms of lighting equipment.

Safer Design Suggestions

SEVERAL suggestions for special studies which might lead to a complete revision of the design of airports are made by A. Westinghouse in the August number of *Aviation*. Most interesting, perhaps, is his objection to the placement of structural strength by power lines, since he contends that the design stresses are increased by flying objects in a manner otherwise different. He points out probably that the greatest stresses are of very short duration, and might therefore be met more successfully by increasing the flexibility of the structure than by increasing its resistance to the continuous application of pressure. Such a change might lead to greater strength in the air with less weight. [This suggestion has been made in America some years ago, but some engineers regard it with great skepticism.—ED.]

AIRPORT Lighting - -

BACKED by years of experience in the various fields of commercial illumination, Westinghouse has developed airport lighting equipment which is effective, flexible, modern in cost, and which fully meets the requirements of the Department of Commerce for the highest rating. Westinghouse has lighted many airports throughout the country, one of the outstanding installations being the Newark Metropolitan Airport, which has been declared by experts to be the best illuminated field in the country.

Lighting Equipment

Groundable Landing Field Floodlights
Boundary, Approach, and Obstruction Lights
Wind Direction Indicator Lights
Hanger Lights and Reflectors
Transformers
Motor-generators
Switchboards



The Newark Metropolitan Airport as illuminated by Westinghouse lighting equipment.

AIRCRAFT Accessories - -

WESTINGHOUSE manufactures such aircraft accessories as Micarta propellers, control-wire pulleys, fairleads, hinges, tail skid wheels, and plates for the interior finish of cabins. Micarta propellers are light in weight, free from vibration, extremely durable, and are unaffected by moisture and change in temperature. They have figured in such outstanding



The Army monoplane fighter, shown the right wing, shown equipped with Micarta. For further information, write to: Westinghouse Electric Co., New York City.

achievements as the crossing of the Pacific to Australia by the Southern Cross, the record-breaking endurance flight of the Question Mark, and the first flight to Hawaii by the Army bi-motored monoplane piloted by Lieutenant Maitland.

Accessories

Micarta Propellers
Micarta Control-wire Pulleys
Micarta Fair Leads
Micarta Hinges
Micarta Tail Skid Wheels
Micarta Plate for Cabin



WESTINGHOUSE ELECTRIC & MFG. COMPANY
SALES OFFICES AND SERVICE BUREAUS IN ALL
PRINCIPAL CITIES OF THE UNITED STATES

Westinghouse

The Strength of the Plane is in the Tubing



Enlarged Home Office and Factories

TUBING by SUMMERILL



Seamless Steel Tubing
for all Aircraft



S. L. Gabel
President

N. H. Wolf
General Manager

H. C. Kner
Metallurgical Engineer

W. H. Baker
Superintendent




Standard and Special Sections

Summerill Tubing Co.

Bridgeport (Phila. District), Penna.

The Strength of the Tubing is in Heat Treating



Tubing by Summerill

Fabricating and Heat Treating by METLAB

Aircraft Parts Made
and Heat Treated



H. C. Kner
President

A. H. Wilson, Jr.
Secretary

S. L. Gabel
Vice President

M. B. Kner
Executive Eng.

A. M. Lindsey
Production Mgr.



Vertical Electric Heat Treating Furnace

Metallurgical Laboratories, Inc.

1116 W. Montgomery Ave., Philadelphia, Pa.

THE CURTISS Conqueror . . .

For Transporting
Heavy Pay Loads
at
High Speeds...



The Curtiss Conqueror 160 horsepower engine...
The most powerful commercial engine in America.

Curtiss Condor, new T.A.T. 18-passenger transport, and the Carrier Pigeon II, new high-speed mail plane, are equipped with Conqueror engines

THE plodding engines for two of the outstanding new Curtiss aircraft developments, the Condor and the Carrier Pigeon II, both designed to transport heavy loads at high speeds, the powerful Curtiss Conqueror engine was finally chosen.

Because the Conqueror is a 600 horsepower, 12-cylinder, V-type, liquid-cooled engine, it has tremendous torque and power... a great power as the extra safety factor is essential to transport progress at great speed.

Its very low frontal area... its adaptability to scientific streamlining and consequent great reduction of unnecessary parasite drag are primary factors in giving additional speed to any equipment—and the low frontal area allows a greater range of maneuverability as well.

Liquid cooling protects the engine

against rapidly changing temperatures in flight.

The Carrier Pigeon II carries a pay load of 1,800 pounds at 141 miles an hour, with this engine. The transport Condor, weighing 4 1/2 tons and equipped with two Conqueror engines, has a top speed of 110 miles an hour—and has taken off and climbed on one engine in tests.

Widely used on the U.S. Army and Navy schools, 3-seater and large bombers—the Conqueror is now available for use in planes equipped to the toughest need and transport jobs.

Write for full literature and book let, Dept. 96, Curtiss-Wright Flying Service, 17 W. 17th St., N.Y.C.

Sole agents for Curtiss (Robertson Aircraft Mfg. Co., Curtiss Aeroplane and Motor Co., Incorporated), 3rd Ave., New York, Incorporated, New York City.



The Curtiss Conqueror was chosen for the Curtiss Condor, the new 18-passenger T.A.T. transport—flying at 141 miles per hour at 141 m.p.h.



This engine also powers the Curtiss Pigeon II, the high-speed mail plane which in maximum flight can exceed 1,000 pounds at 211 miles per hour.

CURTISS-WRIGHT FLYING SERVICE

"World's Oldest Flying Organisation"

Out of the murky drizzle a dripping ship swoops in . . .

It crosses the line...its mate
follows...and WACO places
1st and 2nd in the Fifth
National Air Tour at Detroit



Here John Livingston, left, has placed WACO, left, a perfect score for every lap. Left, Arthur Brown and the second place WACO.

OFF to the west of the Ford Airport a muffled hum is heard. It filters down through low-hanging clouds... swirls into a roar. Then out of the murky drizzle a dripping ship swooshes in. It speeds, full gun, across the line. Another follows. And WACO places first and second in the Fifth National Air Tour for the Edsel B. Ford Reliability Trophy.

Twice in Two Years

For the second time in so many years, WACO proves its superior performance in open competition. John Livingston places first with a perfect score for every lap and a total score of 45,672 points... a margin of 7,176 points over the next competing make. Art Burdick the second WACO totals 41,386 points... giving a combined total lead of 29,286

points for the two WACOs over the total points score of the next competing pair of entries.

These official figures prove beyond dispute that WACO is the ship to own and to fly... sturdy, dependable and practical. Flying at top speed with maximum useful load... landing in 300 feet and taking off with equal abruptness... these WACO "225" Straight-Wings show marked superiority over far more costly aircraft. Let us send full details. Better yet, let us arrange a flight for you. Nearly 300 WACO dealers are at your service.

THE WACO AIRCRAFT COMPANY, TROY, OHIO



"Ask any Pilot"



This map shows the route covered by Col. Lindbergh, technical adviser of Pan American Airways, Inc., on his recent flight inaugurating mail service to Suriname, Dutch Guiana, via the West Indies. Returning, the Colonel crossed to the Canal Zone and on up to the Panamanian mainland, exploring many routes perhaps never before seen by representatives of our civilization.

Again Lindbergh Opens a New Mail Route

Trace the route of Col. Lindbergh's flight on the map above, and you will be impressed with the great distances and the varied flying conditions encountered. Over 7000 miles of the route were covered in a Sikorsky "S-38" Amphibian... a ship whose sturdy construction, luxurious comfort and brilliant performance are already familiar to pilots who have flown over certain of the passenger routes of Pan American Airways where they are used.



Illustrated above is the "S-38" Sikorsky, a water-bus of the Amphibian Series by Col. Lindbergh on his recent Pan American cruise. Powered with two Pratt & Whitney "Wasp" engines, this ship has a speed of over 105 miles an hour with full load.

With the "S-38" Sikorsky Amphibian

Whenever flying and landing conditions are particularly difficult you'll find the "S-38" delivering just a little more performance than is expected of her. Her low landing speed gets her into small bays and fields... and her fast take-off climbs her out of them. There's plenty of reserve power available. She will fly and maneuver on either engine. And her ceiling is 18,000 feet.

Truly a wonderful ship for exploration. And for business or for sport... an ideal combination of luxury and utter dependability.

SIKORSKY
AVIATION CORPORATION
Bridgeport, Connecticut

DIVISION OF UNITED AIRCRAFT & TRANSPORT CORPORATION



Line	City	Day	Time	Remarks	Time	City	Day	Time	Remarks	Time	City
1	Wichita	Mon	7:00	Wichita to Kansas City	7:30	Kansas City	Tue	7:00	Kansas City to Wichita	7:30	Wichita
2	Wichita	Tue	7:00	Wichita to Kansas City	7:30	Kansas City	Wed	7:00	Kansas City to Wichita	7:30	Wichita
3	Wichita	Wed	7:00	Wichita to Kansas City	7:30	Kansas City	Thu	7:00	Kansas City to Wichita	7:30	Wichita
4	Wichita	Thu	7:00	Wichita to Kansas City	7:30	Kansas City	Fri	7:00	Kansas City to Wichita	7:30	Wichita
5	Wichita	Fri	7:00	Wichita to Kansas City	7:30	Kansas City	Sat	7:00	Kansas City to Wichita	7:30	Wichita
6	Wichita	Sat	7:00	Wichita to Kansas City	7:30	Kansas City	Sun	7:00	Kansas City to Wichita	7:30	Wichita

From Kansas City One of America's great air-centers go 46 routes

Line	City	Day	Time	Remarks	Time	City	Day	Time	Remarks	Time	City
1	Wichita	Mon	7:00	Wichita to Kansas City	7:30	Kansas City	Tue	7:00	Kansas City to Wichita	7:30	Wichita
2	Wichita	Tue	7:00	Wichita to Kansas City	7:30	Kansas City	Wed	7:00	Kansas City to Wichita	7:30	Wichita
3	Wichita	Wed	7:00	Wichita to Kansas City	7:30	Kansas City	Thu	7:00	Kansas City to Wichita	7:30	Wichita
4	Wichita	Thu	7:00	Wichita to Kansas City	7:30	Kansas City	Fri	7:00	Kansas City to Wichita	7:30	Wichita
5	Wichita	Fri	7:00	Wichita to Kansas City	7:30	Kansas City	Sat	7:00	Kansas City to Wichita	7:30	Wichita
6	Wichita	Sat	7:00	Wichita to Kansas City	7:30	Kansas City	Sun	7:00	Kansas City to Wichita	7:30	Wichita

And every line is powered with "Wasps"

A DAY to the west lies Los Angeles, A half day to the east—Cleveland. To Dallas in 7 hours. To Chicago in 4. Here in Kansas City, where 46 routes now converge, there has developed one of the great centers of America's new transport system—the east. A glance at the combined timetables of these transport lines reveals a significant

fact. Every single line leaving Kansas City is now using Pratt & Whitney "Wasps" engines.

Here is a tribute not only to the unusual reserve of flying power of "Wasps." It is a tribute to the care which the great transport companies are taking to insure the utmost of dependability in every ship that flies.

THE
PRATT & WHITNEY AIRCRAFT CO.
HARTFORD • • • CONNECTICUT
Division of United Aircraft Corporation

Manufactured in Canada by The Canadian Pratt & Whitney Aircraft Co., Ltd., (Incorporated), Quebec, in Continental Europe by The European Motor Works, Munich



Wasp & Hornet Engines

Speed Your Airport and Airway Construction With IDECO Equipment



IDECO steel Hangars and Airport Buildings—so popular in the East and Midcontinent are also made in the Pacific Coast plant of International at Torrance, Calif. Here too are manufactured Airway Beacon Towers, Radio Towers and other types of airport and airway equipment.

IDECO Hangars are particularly adapted to the rapidly growing requirements of present day airports. Their sectional construction permits them to be quickly and easily enlarged again and again to meet the constant demand for additional space. Being non-burnable, the fire hazard is eliminated—Completely galvanized (frames, sash, hardware and sheeting) rust is successfully avoided together with the need for constant painting and maintenance. Attractive in appearance, they can be used in any surroundings. In all that goes to make a good hangar—careful engineering, quality of materials, workmanship—they offer a value unequalled at any price.

Write for Literature and Prices.



The International Derrick & Equipment Co.
Los Angeles, Calif. Houston, Texas Columbus, Ohio
New York Wichita Tulsa Ft. Worth Beaumont Shreveport Denver Minneapolis, Minnesota

The Importance of the Right Steel

Although Bethlehem has supplied many tons of flat steel and many thousands of forgings to the aeronautical industry, almost every new order brings a fresh problem.

No two parts are designed just alike or encounter identical stresses. Severe weight limitations, combined with the importance of the tasks involved, necessitate not only the use of steel of the finest quality but the right steel—steel whose physical and chemical properties fit it in every way to meet the stresses and other conditions it will encounter.

Airplane steel cannot be "supplied from stock"; it must be

developed and manufactured with infinite care and skill in accordance with the exact nature of the task involved. It is this fact that underlies Bethlehem's success in meeting the steel requirements of the automotive industry.

At Bethlehem the builder of aircraft or engines finds complete modern facilities for making fine steels. He finds an organization that is equipped and eager to cooperate with him, and able to draw on a vast reservoir of experience in the development and manufacture of "Airplane Quality" Steels and Forgings.



"AIRPLANE QUALITY"

From long steel-making experience, including the heavy losses of flat steel for the automobile industry, Bethlehem has developed a set of unusually high standards for airplane steel. Steel made in accordance with these standards is known as Bethlehem "Airplane Quality" Steel.

BETHLEHEM STEEL COMPANY General Office BETHLEHEM, PA.

Branch Offices:
New York Street
Boston Cincinnati
Philadelphia Chicago
Baltimore St. Louis
Washington San Francisco
Atlanta Los Angeles
Pittsburgh Seattle
Rochester Portland
Cleveland Milwaukee

BETHLEHEM

"AIRPLANE QUALITY"

STEELS

KILL FIRE WHILE IT IS YOUNG



A complete Fire Engineering Service for Airport Protection

No one appreciates the dangers of fire better than the men concerned with airports. Here fire has a powerful champion. There's only one way to blank this vandals'—current and adequate "first aid" fire extinguishing equipment—a vital necessity to any airport.

But, adequately protecting your airport against fire is not just a question of buying one—or two—or twenty extinguishers. There are

4 basic essentials that must be followed for correct protection—essentials which American-LaFrance and Foamite Engineers will gladly explain to you and help you put into effect. For every airport represents a different problem, and since this company makes all recognized types of extinguishers, its recommendations to you can be accepted as unbiased and correct.

Send the coupon for booklet "Sinister Beacons". It describes the equipment offered by American-LaFrance and Foamite for correct fire protection for airports. American-LaFrance and Foamite Corporation, Engineers and Manufacturers, Dept. T55, Elmhurst, N. Y.



See booklet "Sinister Beacons" for details of equipment offered by American-LaFrance and Foamite Corporation, Engineers and Manufacturers, Dept. T55, Elmhurst, N. Y.

☐ Please have a Fire Protection Engineer call.
 Name _____
 Company or City State _____
 Street or City _____
 Area _____

AMERICAN-LAFRANCE AND FOAMITE PROTECTION

A Complete Engineering Service
For Extinguishing Fires

Winged Visitors are no different from— Visitors on Wheels

TEN THOUSANDS of service stations and garages, U. S. Equipment is making possible fast, efficient, dependable after-service that turns passing motorists into regular customers.

Winged visitors are no different from visitors on wheels. Your airport hangar equipped with modern U. S. shop and service equipment will be better fitted to render the type of service that makes visiting pilots come back.

The United States Air Compressor Company is ready to furnish practical suggestions and recommendations for some of the most essential equipment for servicing aircraft.

Write for New U. S. Bulletin



U. S. Bulletin No. 28 describes the latest equipment for aircraft servicing including U. S. Air Compressors, Engine Cleaners, Fuel Spray Units, Electric High Pressure Grease Guns, Portable Compressors, Blow Cleaning Guns and Your latest and complete list of being complete information at once.

U.S. AIR COMPRESSOR COMPANY
2040 Harvard Ave., Cleveland, Ohio

Please send me latest Bulletin about U. S. Equipment for airports.

Name _____

Address _____

City _____ State _____ Zip _____

AVIATION
November 5, 1930

Thor Electric Drills



*Designed and built
to give matchless
performance*

Thor Electric Drills are built like skyscrapers, according to definite plans and strict specifications. Every detail of construction is supervised by experienced men. Each part that goes into a Thor is carefully checked. Every tool is subjected to a series of severe tests before it leaves our factory and a record of its performance is kept.

We have found that it pays us to manufacture electric drills by these pre-tested methods. The growth of our business is evidence of that. If you want to experience real drilling satisfaction—try a Thor. Its performance will tell a mighty convincing story about Thor's supremacy.

Our No. 17 Catalog should be in your file. It describes and describes the complete line of Thor Screw Driving Attachments, Bits and Sockets. A copy is yours for the asking.

TOOL MAKERS SINCE 1893

INDEPENDENT PNEUMATIC TOOL CO.
PNEUMATIC TOOLS 2240 N. Dearborn St. CHICAGO, ILL. ELECTRIC TOOLS

AVIATION
November 5, 1930

Specifically Designed for BETTER Aircraft Performance



THE Champion Aero A Spark Plug differs from all other spark plugs in basic design, because Champion makes no compromise with any other spark plug when performance, safety, and dependability are paramount.

Champion engineers, after years of exhaustive research and experimentation, made a radical change in design, and produced a plug specifically designed for better aircraft engine performance.

Retaining all the manifold superlatives of all Champion Spark Plugs, the Aero A is so designed that it cannot be broken in such a way as to interfere with engine operation. This plug is the first to use a dual insulator. The principle of dual insulation employs a secondary dense insulation of alumina for the protection of the primary. Added to this, the Champion Aero A is of two-piece, gas-tight construction, with special analysis electrodes, thus insuring a fixed spark gap and compression-tight cylinders.

The carefully proportioned restricted bore affords an extra projection of center electrode which withstands a maximum amount of heat and oil without pre-ignition or fouling. The Aero A may be used in all radial air-cooled and modern high compression water-cooled engines.

Immediate, nation-wide recognition by transport, fleet and private operators is a tribute to the sound judgment of the Champion engineers. Champion invites you to install a new set of Aero A Plugs, and to join the thousands who already enjoy maximum safety and dependability with the spark plug which cannot fail.

Champion Aero A Exclusive Features

1. Restricted bore, 2. Special analysis electrode, 3. Secondary dense insulation around electrode, 4. Solid-state insulator, 5. Copper seal, 6. Primary alumina insulator, 7. Metal support jacket ends.

Consultation on the matter of your spark plug (Aero A) for all aircraft engine models. Champion, by virtue of its long experience, is the only manufacturer of spark plugs for the entire line of aircraft engines.

CHAMPION
SPARK PLUGS for AVIATION

TOLEDO, OHIO



WINDSOR, ONTARIO



OVER HALF OF TOTAL SPACE
ALREADY RESERVED!

ALL-AMERICAN
AIRCRAFT SHOW

Detroit City Airport
and Hangar

APRIL 5-13, 1930

Fifteen manufacturers, exhibiting 40 different planes, have already made application for the Third Annual All-American Aircraft Show at Detroit. To date, over half the 300,000 square feet in the Exhibition Building has been reserved.

The 1930 All-American Aircraft Show offers unusual opportunities. Located at an airport in the heart of Detroit, ships can land and be rolled into position—demonstrations can be given without leaving the flying field. After all, the Detroit Show is the closing show. Make your space reservation now!



OFFICIAL SANCTION

The All-American Aircraft Show to be held under the auspices of the Aircraft Bureau of the Detroit Board of Commerce has been sanctioned by the Aeronautical Chamber of Commerce of America, Inc.

For full particulars apply to
RAY COOPER, Manager
Aircraft Bureau, Detroit Board of Commerce.



DEPENDABLE

- as to test
- in meeting difficult or fussy requirements
- in being up to specifications
- in service
- in meeting ever-changing delivery schedules
- as to speed for experimental work

May we figure on your requirements?

THE WALLACE BARNES CO.
BRISTOL, CONNECTICUT

Barnes  **made**
SPECIAL DESIGN—STANDARD
SPECIAL DESIGN—STANDARD
SPRINGS

To a pilot... *curious* sightseers are *worse* than hornets

TO a pilot busy checking and tuning-up his plane curious sightseers on the field are more annoying than hornets. They get in the way . . . get into danger . . . ask fool questions . . . toss matches and cigarettes around as though they never heard of gasoline.

Controlled, sightseers are a source of profit to pilot and airport. Uncontrolled, they become trouble-makers, and often cause accidents that result in costly damage suits.

We have cooperated with many airport operators in properly locating and erecting Anchor Fence so as to restrict sightseers to certain safe areas of the airport. One of 75 Anchor offices is near you. Have the Anchor Fencing Specialist at that office submit a plan to cover your particular need.

ANCHOR POST FENCE COMPANY
Easton Ave. & East St., Easton, ME
Albany, Boston, Charlotte, Chicago, Cincinnati, Dallas,
Denver, Detroit, Elgin, Evansville, Los Angeles, Memphis,
N. Y., Newark, New York, Philadelphia, Pittsburgh,
St. Louis, San Francisco, Springfield
Representatives in other cities. Please telephone directory.

ANCHOR
CHAIN LINK
Fences



A NATION-WIDE FENCING SERVICE

S.S. White Flexible Shafts
for
Tachometer Driving
and other
Power Transmission
(Made by the largest producer
of steel wire flexible shafts)

The S.S. White Dental Mfg. Co.
Dental Division
151 West 42nd St. New York, N.Y.

SANITIZING FLEXIBLE SHAFTS
Write for literature,
Send for samples

-TITANINE-
Present This Month
A Complete Range of
AIRPLANE FINISHING MATERIALS
Deep-gloss paints, black, white, shimmers or gray;
Clear lacquers and varnishes (dopes);
Ti-Two colored non-metallic dopes;
Pigmented aluminum dopes;
Flexible wing lacquers;
Wood and metal lacquer (for inside and outside finish)

TITANINE, Inc.
Union, Union County, New Jersey
Exclusive to the United States Government

W. W. Meiss, President. With aviation, manufacturing and financial background, Meiss experienced leadership in the design of R-100, R-101, R-102, R-103, R-104, R-105, R-106, R-107, R-108, R-109, R-110, R-111, R-112, R-113, R-114, R-115, R-116, R-117, R-118, R-119, R-120, R-121, R-122, R-123, R-124, R-125, R-126, R-127, R-128, R-129, R-130, R-131, R-132, R-133, R-134, R-135, R-136, R-137, R-138, R-139, R-140, R-141, R-142, R-143, R-144, R-145, R-146, R-147, R-148, R-149, R-150, R-151, R-152, R-153, R-154, R-155, R-156, R-157, R-158, R-159, R-160, R-161, R-162, R-163, R-164, R-165, R-166, R-167, R-168, R-169, R-170, R-171, R-172, R-173, R-174, R-175, R-176, R-177, R-178, R-179, R-180, R-181, R-182, R-183, R-184, R-185, R-186, R-187, R-188, R-189, R-190, R-191, R-192, R-193, R-194, R-195, R-196, R-197, R-198, R-199, R-200, R-201, R-202, R-203, R-204, R-205, R-206, R-207, R-208, R-209, R-210, R-211, R-212, R-213, R-214, R-215, R-216, R-217, R-218, R-219, R-220, R-221, R-222, R-223, R-224, R-225, R-226, R-227, R-228, R-229, R-230, R-231, R-232, R-233, R-234, R-235, R-236, R-237, R-238, R-239, R-240, R-241, R-242, R-243, R-244, R-245, R-246, R-247, R-248, R-249, R-250, R-251, R-252, R-253, R-254, R-255, R-256, R-257, R-258, R-259, R-260, R-261, R-262, R-263, R-264, R-265, R-266, R-267, R-268, R-269, R-270, R-271, R-272, R-273, R-274, R-275, R-276, R-277, R-278, R-279, R-280, R-281, R-282, R-283, R-284, R-285, R-286, R-287, R-288, R-289, R-290, R-291, R-292, R-293, R-294, R-295, R-296, R-297, R-298, R-299, R-300, R-301, R-302, R-303, R-304, R-305, R-306, R-307, R-308, R-309, R-310, R-311, R-312, R-313, R-314, R-315, R-316, R-317, R-318, R-319, R-320, R-321, R-322, R-323, R-324, R-325, R-326, R-327, R-328, R-329, R-330, R-331, R-332, R-333, R-334, R-335, R-336, R-337, R-338, R-339, R-340, R-341, R-342, R-343, R-344, R-345, R-346, R-347, R-348, R-349, R-350, R-351, R-352, R-353, R-354, R-355, R-356, R-357, R-358, R-359, R-360, R-361, R-362, R-363, R-364, R-365, R-366, R-367, R-368, R-369, R-370, R-371, R-372, R-373, R-374, R-375, R-376, R-377, R-378, R-379, R-380, R-381, R-382, R-383, R-384, R-385, R-386, R-387, R-388, R-389, R-390, R-391, R-392, R-393, R-394, R-395, R-396, R-397, R-398, R-399, R-400, R-401, R-402, R-403, R-404, R-405, R-406, R-407, R-408, R-409, R-410, R-411, R-412, R-413, R-414, R-415, R-416, R-417, R-418, R-419, R-420, R-421, R-422, R-423, R-424, R-425, R-426, R-427, R-428, R-429, R-430, R-431, R-432, R-433, R-434, R-435, R-436, R-437, R-438, R-439, R-440, R-441, R-442, R-443, R-444, R-445, R-446, R-447, R-448, R-449, R-450, R-451, R-452, R-453, R-454, R-455, R-456, R-457, R-458, R-459, R-460, R-461, R-462, R-463, R-464, R-465, R-466, R-467, R-468, R-469, R-470, R-471, R-472, R-473, R-474, R-475, R-476, R-477, R-478, R-479, R-480, R-481, R-482, R-483, R-484, R-485, R-486, R-487, R-488, R-489, R-490, R-491, R-492, R-493, R-494, R-495, R-496, R-497, R-498, R-499, R-500, R-501, R-502, R-503, R-504, R-505, R-506, R-507, R-508, R-509, R-510, R-511, R-512, R-513, R-514, R-515, R-516, R-517, R-518, R-519, R-520, R-521, R-522, R-523, R-524, R-525, R-526, R-527, R-528, R-529, R-530, R-531, R-532, R-533, R-534, R-535, R-536, R-537, R-538, R-539, R-540, R-541, R-542, R-543, R-544, R-545, R-546, R-547, R-548, R-549, R-550, R-551, R-552, R-553, R-554, R-555, R-556, R-557, R-558, R-559, R-560, R-561, R-562, R-563, R-564, R-565, R-566, R-567, R-568, R-569, R-570, R-571, R-572, R-573, R-574, R-575, R-576, R-577, R-578, R-579, R-580, R-581, R-582, R-583, R-584, R-585, R-586, R-587, R-588, R-589, R-590, R-591, R-592, R-593, R-594, R-595, R-596, R-597, R-598, R-599, R-600, R-601, R-602, R-603, R-604, R-605, R-606, R-607, R-608, R-609, R-610, R-611, R-612, R-613, R-614, R-615, R-616, R-617, R-618, R-619, R-620, R-621, R-622, R-623, R-624, R-625, R-626, R-627, R-628, R-629, R-630, R-631, R-632, R-633, R-634, R-635, R-636, R-637, R-638, R-639, R-640, R-641, R-642, R-643, R-644, R-645, R-646, R-647, R-648, R-649, R-650, R-651, R-652, R-653, R-654, R-655, R-656, R-657, R-658, R-659, R-660, R-661, R-662, R-663, R-664, R-665, R-666, R-667, R-668, R-669, R-670, R-671, R-672, R-673, R-674, R-675, R-676, R-677, R-678, R-679, R-680, R-681, R-682, R-683, R-684, R-685, R-686, R-687, R-688, R-689, R-690, R-691, R-692, R-693, R-694, R-695, R-696, R-697, R-698, R-699, R-700, R-701, R-702, R-703, R-704, R-705, R-706, R-707, R-708, R-709, R-710, R-711, R-712, R-713, R-714, R-715, R-716, R-717, R-718, R-719, R-720, R-721, R-722, R-723, R-724, R-725, R-726, R-727, R-728, R-729, R-730, R-731, R-732, R-733, R-734, R-735, R-736, R-737, R-738, R-739, R-740, R-741, R-742, R-743, R-744, R-745, R-746, R-747, R-748, R-749, R-750, R-751, R-752, R-753, R-754, R-755, R-756, R-757, R-758, R-759, R-760, R-761, R-762, R-763, R-764, R-765, R-766, R-767, R-768, R-769, R-770, R-771, R-772, R-773, R-774, R-775, R-776, R-777, R-778, R-779, R-780, R-781, R-782, R-783, R-784, R-785, R-786, R-787, R-788, R-789, R-790, R-791, R-792, R-793, R-794, R-795, R-796, R-797, R-798, R-799, R-800, R-801, R-802, R-803, R-804, R-805, R-806, R-807, R-808, R-809, R-810, R-811, R-812, R-813, R-814, R-815, R-816, R-817, R-818, R-819, R-820, R-821, R-822, R-823, R-824, R-825, R-826, R-827, R-828, R-829, R-830, R-831, R-832, R-833, R-834, R-835, R-836, R-837, R-838, R-839, R-840, R-841, R-842, R-843, R-844, R-845, R-846, R-847, R-848, R-849, R-850, R-851, R-852, R-853, R-854, R-855, R-856, R-857, R-858, R-859, R-860, R-861, R-862, R-863, R-864, R-865, R-866, R-867, R-868, R-869, R-870, R-871, R-872, R-873, R-874, R-875, R-876, R-877, R-878, R-879, R-880, R-881, R-882, R-883, R-884, R-885, R-886, R-887, R-888, R-889, R-890, R-891, R-892, R-893, R-894, R-895, R-896, R-897, R-898, R-899, R-900, R-901, R-902, R-903, R-904, R-905, R-906, R-907, R-908, R-909, R-910, R-911, R-912, R-913, R-914, R-915, R-916, R-917, R-918, R-919, R-920, R-921, R-922, R-923, R-924, R-925, R-926, R-927, R-928, R-929, R-930, R-931, R-932, R-933, R-934, R-935, R-936, R-937, R-938, R-939, R-940, R-941, R-942, R-943, R-944, R-945, R-946, R-947, R-948, R-949, R-950, R-951, R-952, R-953, R-954, R-955, R-956, R-957, R-958, R-959, R-960, R-961, R-962, R-963, R-964, R-965, R-966, R-967, R-968, R-969, R-970, R-971, R-972, R-973, R-974, R-975, R-976, R-977, R-978, R-979, R-980, R-981, R-982, R-983, R-984, R-985, R-986, R-987, R-988, R-989, R-990, R-991, R-992, R-993, R-994, R-995, R-996, R-997, R-998, R-999, R-1000, R-1001, R-1002, R-1003, R-1004, R-1005, R-1006, R-1007, R-1008, R-1009, R-1010, R-1011, R-1012, R-1013, R-1014, R-1015, R-1016, R-1017, R-1018, R-1019, R-1020, R-1021, R-1022, R-1023, R-1024, R-1025, R-1026, R-1027, R-1028, R-1029, R-1030, R-1031, R-1032, R-1033, R-1034, R-1035, R-1036, R-1037, R-1038, R-1039, R-1040, R-1041, R-1042, R-1043, R-1044, R-1045, R-1046, R-1047, R-1048, R-1049, R-1050, R-1051, R-1052, R-1053, R-1054, R-1055, R-1056, R-1057, R-1058, R-1059, R-1060, R-1061, R-1062, R-1063, R-1064, R-1065, R-1066, R-1067, R-1068, R-1069, R-1070, R-1071, R-1072, R-1073, R-1074, R-1075, R-1076, R-1077, R-1078, R-1079, R-1080, R-1081, R-1082, R-1083, R-1084, R-1085, R-1086, R-1087, R-1088, R-1089, R-1090, R-1091, R-1092, R-1093, R-1094, R-1095, R-1096, R-1097, R-1098, R-1099, R-1100, R-1101, R-1102, R-1103, R-1104, R-1105, R-1106, R-1107, R-1108, R-1109, R-1110, R-1111, R-1112, R-1113, R-1114, R-1115, R-1116, R-1117, R-1118, R-1119, R-1120, R-1121, R-1122, R-1123, R-1124, R-1125, R-1126, R-1127, R-1128, R-1129, R-1130, R-1131, R-1132, R-1133, R-1134, R-1135, R-1136, R-1137, R-1138, R-1139, R-1140, R-1141, R-1142, R-1143, R-1144, R-1145, R-1146, R-1147, R-1148, R-1149, R-1150, R-1151, R-1152, R-1153, R-1154, R-1155, R-1156, R-1157, R-1158, R-1159, R-1160, R-1161, R-1162, R-1163, R-1164, R-1165, R-1166, R-1167, R-1168, R-1169, R-1170, R-1171, R-1172, R-1173, R-1174, R-1175, R-1176, R-1177, R-1178, R-1179, R-1180, R-1181, R-1182, R-1183, R-1184, R-1185, R-1186, R-1187, R-1188, R-1189, R-1190, R-1191, R-1192, R-1193, R-1194, R-1195, R-1196, R-1197, R-1198, R-1199, R-1200, R-1201, R-1202, R-1203, R-1204, R-1205, R-1206, R-1207, R-1208, R-1209, R-1210, R-1211, R-1212, R-1213, R-1214, R-1215, R-1216, R-1217, R-1218, R-1219, R-1220, R-1221, R-1222, R-1223, R-1224, R-1225, R-1226, R-1227, R-1228, R-1229, R-1230, R-1231, R-1232, R-1233, R-1234, R-1235, R-1236, R-1237, R-1238, R-1239, R-1240, R-1241, R-1242, R-1243, R-1244, R-1245, R-1246, R-1247, R-1248, R-1249, R-1250, R-1251, R-1252, R-1253, R-1254, R-1255, R-1256, R-1257, R-1258, R-1259, R-1260, R-1261, R-1262, R-1263, R-1264, R-1265, R-1266, R-1267, R-1268, R-1269, R-1270, R-1271, R-1272, R-1273, R-1274, R-1275, R-1276, R-1277, R-1278, R-1279, R-1280, R-1281, R-1282, R-1283, R-1284, R-1285, R-1286, R-1287, R-1288, R-1289, R-1290, R-1291, R-1292, R-1293, R-1294, R-1295, R-1296, R-1297, R-1298, R-1299, R-1300, R-1301, R-1302, R-1303, R-1304, R-1305, R-1306, R-1307, R-1308, R-1309, R-1310, R-1311, R-1312, R-1313, R-1314, R-1315, R-1316, R-1317, R-1318, R-1319, R-1320, R-1321, R-1322, R-1323, R-1324, R-1325, R-1326, R-1327, R-1328, R-1329, R-1330, R-1331, R-1332, R-1333, R-1334, R-1335, R-1336, R-1337, R-1338, R-1339, R-1340, R-1341, R-1342, R-1343, R-1344, R-1345, R-1346, R-1347, R-1348, R-1349, R-1350, R-1351, R-1352, R-1353, R-1354, R-1355, R-1356, R-1357, R-1358, R-1359, R-1360, R-1361, R-1362, R-1363, R-1364, R-1365, R-1366, R-1367, R-1368, R-1369, R-1370, R-1371, R-1372, R-1373, R-1374, R-1375, R-1376, R-1377, R-1378, R-1379, R-1380, R-1381, R-1382, R-1383, R-1384, R-1385, R-1386, R-1387, R-1388, R-1389, R-1390, R-1391, R-1392, R-1393, R-1394, R-1395, R-1396, R-1397, R-1398, R-1399, R-1400, R-1401, R-1402, R-1403, R-1404, R-1405, R-1406, R-1407, R-1408, R-1409, R-1410, R-1411, R-1412, R-1413, R-1414, R-1415, R-1416, R-1417, R-1418, R-1419, R-1420, R-1421, R-1422, R-1423, R-1424, R-1425, R-1426, R-1427, R-1428, R-1429, R-1430, R-1431, R-1432, R-1433, R-1434, R-1435, R-1436, R-1437, R-1438, R-1439, R-1440, R-1441, R-1442, R-1443, R-1444, R-1445, R-1446, R-1447, R-1448, R-1449, R-1450, R-1451, R-1452, R-1453, R-1454, R-1455, R-1456, R-1457, R-1458, R-1459, R-1460, R-1461, R-1462, R-1463, R-1464, R-1465, R-1466, R-1467, R-1468, R-1469, R-1470, R-1471, R-1472, R-1473, R-1474, R-1475, R-1476, R-1477, R-1478, R-1479, R-1480, R-1481, R-1482, R-1483, R-1484, R-1485, R-1486, R-1487, R-1488, R-1489, R-1490, R-1491, R-1492, R-1493, R-1494, R-1495, R-1496, R-1497, R-1498, R-1499, R-1500, R-1501, R-1502, R-1503, R-1504, R-1505, R-1506, R-1507, R-1508, R-1509, R-1510, R-1511, R-1512, R-1513, R-1514, R-1515, R-1516, R-1517, R-1518, R-1519, R-1520, R-1521, R-1522, R-1523, R-1524, R-1525, R-1526, R-1527, R-1528, R-1529, R-1530, R-1531, R-1532, R-1533, R-1534, R-1535, R-1536, R-1537, R-1538, R-1539, R-1540, R-1541, R-1542, R-1543, R-1544, R-1545, R-1546, R-1547, R-1548, R-1549, R-1550, R-1551, R-1552, R-1553, R-1554, R-1555, R-1556, R-1557, R-1558, R-1559, R-1560, R-1561, R-1562, R-1563, R-1564, R-1565, R-1566, R-1567, R-1568, R-1569, R-1570, R-1571, R-1572, R-1573, R-1574, R-1575, R-1576, R-1577, R-1578, R-1579, R-1580, R-1581, R-1582, R-1583, R-1584, R-1585, R-1586, R-1587, R-1588, R-1589, R-1590, R-1591, R-1592, R-1593, R-1594, R-1595, R-1596, R-1597, R-1598, R-1599, R-1600, R-1601, R-1602, R-1603, R-1604, R-1605, R-1606, R-1607, R-1608, R-1609, R-1610, R-1611, R-1612, R-1613, R-1614, R-1615, R-1616, R-1617, R-1618, R-1619, R-1620, R-1621, R-1622, R-1623, R-1624, R-1625, R-1626, R-1627, R-1628, R-1629, R-1630, R-1631, R-1632, R-1633, R-1634, R-1635, R-1636, R-1637, R-1638, R-1639, R-1640, R-1641, R-1642, R-1643, R-1644, R-1645, R-1646, R-1647, R-1648, R-1649, R-1650, R-1651, R-1652, R-1653, R-1654, R-1655, R-1656, R-1657, R-1658, R-1659, R-1660, R-1661, R-1662, R-1663, R-1664, R-1665, R-1666, R-1667, R-1668, R-1669, R-1670, R-1671, R-1672, R-1673, R-1674, R-1675, R-1676, R-1677, R-1678, R-1679, R-1680, R-1681, R-1682, R-1683, R-1684, R-1685, R-1686, R-1687, R-1688, R-1689, R-1690, R-1691, R-1692, R-1693, R-1694, R-1695, R-1696, R-1697, R-1698, R-1699, R-1700, R-1701, R-1702, R-1703, R-1704, R-1705, R-1706, R-1707, R-1708, R-1709, R-1710, R-1711, R-1712, R-1713, R-1714, R-1715, R-1716, R-1717, R-1718, R-1719, R-1720, R-1721, R-1722, R-1723, R-1724, R-1725, R-1726, R-1727, R-1728, R-1729, R-1730, R-1731, R-1732, R-1733, R-1734, R-1735, R-1736, R-1737, R-1738, R-1739, R-1740, R-1741, R-1742, R-1743, R-1744, R-1745, R-1746, R-1747, R-1748, R-1749, R-1750, R-1751, R-1752, R-1753, R-1754, R-1755, R-1756, R-1757, R-1758, R-1759, R-1760, R-1761, R-1762, R-1763, R-1764, R-1765, R-

WHERE TO FLY

ALABAMA

MONTGOMERY SCHOOL OF AVIATION
MONTGOMERY AIRPORT
Montgomery, Ala.



This school and those to be with us when aircraft flying is the only way to get the most out of a machine.

1201 S. 1st St. Montgomery, Ala.

ALABAMA

CONTINENTAL
Continental Air Service
2400 South Parkway Chicago



CONTINENTAL AIR SERVICES

ALABAMA

NATIONAL AIRWAYS, INC.
2400 South Parkway Chicago



ALL NEW, HIGH PERFORMANCE EQUIPMENT COMPLETE TRAINING AND FLIGHT TRAINING FOR GOVERNMENT PILOT LICENSES.

CALIFORNIA

ALTECH SCHOOL OF AVIATION
ALTECH SCHOOL OF AVIATION
ALTECH SCHOOL OF AVIATION



ALTECH SCHOOL OF AVIATION
ALTECH SCHOOL OF AVIATION
ALTECH SCHOOL OF AVIATION

CALIFORNIA

LEARN TO FLY AT SKY HARBOR
SKY HARBOR FLYING SCHOOL
2800 South Broadway Chicago



LEARN TO FLY AT SKY HARBOR
SKY HARBOR FLYING SCHOOL
2800 South Broadway Chicago

CALIFORNIA

PARKS AIR COLLEGE
PARKS AIR COLLEGE
PARKS AIR COLLEGE



PARKS AIR COLLEGE
PARKS AIR COLLEGE
PARKS AIR COLLEGE

CALIFORNIA

L & H FLYING SCHOOL
L & H FLYING SCHOOL
L & H FLYING SCHOOL



L & H FLYING SCHOOL
L & H FLYING SCHOOL
L & H FLYING SCHOOL

CALIFORNIA

LEARN TO FLY AT SKY HARBOR
SKY HARBOR FLYING SCHOOL
2800 South Broadway Chicago



LEARN TO FLY AT SKY HARBOR
SKY HARBOR FLYING SCHOOL
2800 South Broadway Chicago

CALIFORNIA

UNIVERSAL AVIATION SCHOOL
UNIVERSAL AVIATION SCHOOL
UNIVERSAL AVIATION SCHOOL



UNIVERSAL AVIATION SCHOOL
UNIVERSAL AVIATION SCHOOL
UNIVERSAL AVIATION SCHOOL

CALIFORNIA

NEPCO—School of Flying
NEPCO—School of Flying
NEPCO—School of Flying



NEPCO—School of Flying
NEPCO—School of Flying
NEPCO—School of Flying

CALIFORNIA

LEARN TO FLY NOW
LEARN TO FLY NOW
LEARN TO FLY NOW



LEARN TO FLY NOW
LEARN TO FLY NOW
LEARN TO FLY NOW

CALIFORNIA

Learn Aviation
Learn Aviation
Learn Aviation



Learn Aviation
Learn Aviation
Learn Aviation

CALIFORNIA

Complete Air and Ground School
Complete Air and Ground School
Complete Air and Ground School



Complete Air and Ground School
Complete Air and Ground School
Complete Air and Ground School

CALIFORNIA

Complete Air and Ground School
Complete Air and Ground School
Complete Air and Ground School



Complete Air and Ground School
Complete Air and Ground School
Complete Air and Ground School

CALIFORNIA

LINCOLN AIRPLANE SCHOOL
LINCOLN AIRPLANE SCHOOL
LINCOLN AIRPLANE SCHOOL



LINCOLN AIRPLANE SCHOOL
LINCOLN AIRPLANE SCHOOL
LINCOLN AIRPLANE SCHOOL

WHERE TO FLY

NEW JERSEY

IF YOU WANT TO LEARN TO FLY
IF YOU WANT TO LEARN TO FLY
IF YOU WANT TO LEARN TO FLY



NEW JERSEY FLYING SCHOOL
NEW JERSEY FLYING SCHOOL
NEW JERSEY FLYING SCHOOL

NEW YORK, NEW YORK

THE PERFECT TAKE-OFF FOR YOUR FLYING CAREER...
THE PERFECT TAKE-OFF FOR YOUR FLYING CAREER...
THE PERFECT TAKE-OFF FOR YOUR FLYING CAREER...



ROOSEVELT AVIATION SCHOOL
ROOSEVELT AVIATION SCHOOL
ROOSEVELT AVIATION SCHOOL

OKLAHOMA

AMERICA'S FINEST AVIATION SCHOOL
AMERICA'S FINEST AVIATION SCHOOL
AMERICA'S FINEST AVIATION SCHOOL



SPARTAN SCHOOL OF AERONAUTICS
SPARTAN SCHOOL OF AERONAUTICS
SPARTAN SCHOOL OF AERONAUTICS

NEW JERSEY

ARVON FLYING SERVICE
ARVON FLYING SERVICE
ARVON FLYING SERVICE



ARVON FLYING SERVICE
ARVON FLYING SERVICE
ARVON FLYING SERVICE

NEW YORK, NEW YORK

COLONIAL FLYING SCHOOL
COLONIAL FLYING SCHOOL
COLONIAL FLYING SCHOOL



COLONIAL FLYING SCHOOL
COLONIAL FLYING SCHOOL
COLONIAL FLYING SCHOOL

OKLAHOMA

STULTZ FIELD
STULTZ FIELD
STULTZ FIELD



STULTZ FIELD
STULTZ FIELD
STULTZ FIELD

NEW YORK, NEW YORK

THE "REVERSE TO FLY" SECTION IS "ARMED AND DANGEROUS"
THE "REVERSE TO FLY" SECTION IS "ARMED AND DANGEROUS"
THE "REVERSE TO FLY" SECTION IS "ARMED AND DANGEROUS"



THE "REVERSE TO FLY" SECTION IS "ARMED AND DANGEROUS"
THE "REVERSE TO FLY" SECTION IS "ARMED AND DANGEROUS"
THE "REVERSE TO FLY" SECTION IS "ARMED AND DANGEROUS"

NEW YORK, NEW YORK

CERTAINLY WRIGHT
CERTAINLY WRIGHT
CERTAINLY WRIGHT



CERTAINLY WRIGHT
CERTAINLY WRIGHT
CERTAINLY WRIGHT

OKLAHOMA

FITCH AVIATION
FITCH AVIATION
FITCH AVIATION



FITCH AVIATION
FITCH AVIATION
FITCH AVIATION

PROFESSIONAL SERVICES

AERO-KEN
AERO-KEN
AERO-KEN



AERO-KEN
AERO-KEN
AERO-KEN

The Laboratories and the New Windtunnel of the Tubular Air-Craft Corp.
The Laboratories and the New Windtunnel of the Tubular Air-Craft Corp.
The Laboratories and the New Windtunnel of the Tubular Air-Craft Corp.



Tubular Air-Craft Corp.
Tubular Air-Craft Corp.
Tubular Air-Craft Corp.

SHOWALTER-ASSOCIATES
SHOWALTER-ASSOCIATES
SHOWALTER-ASSOCIATES



SHOWALTER-ASSOCIATES
SHOWALTER-ASSOCIATES
SHOWALTER-ASSOCIATES

AIRCRAFT SERVICE DIRECTORY

Seeour-Advertisement
an inside look view of the 1939 book
PIONEER INSTRUMENT COMPANY
254 LEAHMAN BUILDING NEW YORK

Reynolds Machine Tool Works, Inc. has
been selected to design and construct
the instrument section of the new
aircraft instrument company.
Company 254
254 LEAHMAN BUILDING NEW YORK
254 LEAHMAN BUILDING NEW YORK

TRIUMPH
SUGGESTION
FOR AIRCRAFT
DESIGNERS
FOR AIRCRAFT
DESIGNERS
FOR AIRCRAFT
DESIGNERS

PITCH & BANK
INDICATOR
Your Position in a Glance
Pitch and Bank Indicator
Pitch and Bank Indicator
Pitch and Bank Indicator

STEARMAN
AND
AEROMARINE KLEMM
Pitch and Bank Indicator
Pitch and Bank Indicator
Pitch and Bank Indicator

Motorize Your
Hangar Doors
Allen & Dyer, Inc.
Columbus, Ohio

PITCH INDICATOR
Adapted for
Pitch and Bank Indicator
Pitch and Bank Indicator
Pitch and Bank Indicator

Paragon
Propellers
Propellers, Inc. 254 Lehigh St. Buffalo, N.Y.

Phoenix Clear Nitrate Dope
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

Airplane Covers
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

OSTERGAARD
AIRCRAFT
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

STANLEY
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

JOHN S. COX & SON
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

GARDNER
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

AVIATION PROTECTION, Inc.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

HASKELITE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

DANIEL GUDENHEIM SCHOOL
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

Northcoaster
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

HANGARS
Fireproof steel hangars.
Erected anywhere.
Send for catalogue No. 150

AIRPORT HANGAR
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

WILLIAM
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

WILLIAM
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

WILLIAM
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

WILLIAM
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

WILLIAM
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

WILLIAM
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

WILLIAM
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

SEARCHLIGHT SECTION

EMPLOYMENT AND BUSINESS OPPORTUNITIES—USED and SURPLUS NEW EQUIPMENT

EMPLOYMENT—DATE PER WORK
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

EMPLOYMENT
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

EMPLOYMENT—DATE PER WORK
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

FOR SALE
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.
254 Lehigh St. Buffalo, N.Y.

"PILOT MY OWN PLANE? WELL—AND WHY NOT?"



MORE than eight thousand men and women are licensed to fly. But nearly half a million people buy and read the magazines such as this, devoted to the air!

To the four hundred and ninety-two thousand people who are not yet pilots, Wright, here and now makes the suggestion that they start!

Planes of today are capable. Wright "Whirlwinds" and Wright "Cyclones" are strong, dependable engines; pilots are skillful; landing fields daily increase in number and are constantly bettered in quality; while ground service equal to the best garages is flourishing at all good airports.

And most important of all, costs are coming down—and never forget that it has been cost, not danger, that has limited public participation in airplane activities).

So to our non-flying readers of aviation publications, Wright suggests that they join the First Flight Club now—with the firm conviction that a few years hence will see them piloting a plane of their own!

Off the ground and go!



WRIGHT
AERONAUTICAL CORPORATION
PATERSON, NEW JERSEY

